
Introduction to Finite Element Analysis Using SolidWorks Simulation 2011®



Randy H. Shih
Oregon Institute of Technology



www.SDCpublications.com

Schroff Development Corporation

Table of Contents

| Preface Acknowledgments | i ii |
|---|----------|
| Introduction | |
| Introduction | Intro-2 |
| Development of Finite Element Analysis | Intro-2 |
| FEA Modeling Considerations | Intro-3 |
| Types of Finite Elements | Intro-4 |
| Finite Element Analysis Procedure | Intro-6 |
| Matrix Definitions | Intro-6 |
| Getting Started with SolidWorks | Intro-9 |
| Starting SolidWorks | Intro-9 |
| Units Setup | Intro-1 |
| SolidWorks Screen Layout | Intro-1. |
| Menu Bar Toolbar | Intro-1. |
| Menu Bar Pull-down menus | Intro-1 |
| Heads-up View Toolbar | Intro-1 |
| • Features Toolbar | Intro-1 |
| Sketch Toolbar | Intro-1 |
| Command Manager | Intro-1: |
| Feature Manager Design Tree | Intro-1 |
| Graphics Area | Intro-1 |
| Reference Triad | Intro-1 |
| • Origin | Intro-1 |
| • Confirmation Corner | Intro-1 |
| Graphics Cursor or Crosshairs | Intro-1 |
| Message and Status Bar | Intro-1 |
| Basic Functions of Mouse Buttons | Intro-18 |
| [Esc] – Canceling Commands | Intro-18 |
| On-Line Help | Intro-19 |
| Leaving SolidWorks | Intro-19 |
| Creating a CAD files folder | Intro-20 |
| Chapter 1 The Direct Stiffness Method | |
| Introduction | 1-2 |
| One-dimensional Truss Element | 1-3 |
| Example 1.1 | 1-5 |
| Example 1.2 | 1-7 |
| Basic Solid Modeling using SolidWorks | 1-10 |
| The Adjuster design | 1-10 |
| | |

| Starting SolidWorks | 1-10 |
|---|------|
| Step 1: Creating a Rough Sketch | 1-12 |
| Graphics Cursors | 1-12 |
| Geometric Relation Symbols | 1-14 |
| Step 2: Apply/Modify Relations and Dimensions | 1-15 |
| Changing the Dimension Standard | 1-16 |
| Viewing Functions – <i>Zoom</i> and <i>Pan</i> | 1-17 |
| Modifying the Dimensions of the Sketch | 1-18 |
| Step 3: Completing the Base Solid Feature | 1-19 |
| Isometric View | 1-20 |
| Rotation of the 3D Model – <i>Rotate View</i> | 1-20 |
| Rotation and Panning – <i>Arrow Keys</i> | 1-22 |
| Dynamic Viewing – Quick Keys | 1-23 |
| Viewing Tools – Heads-up View Toolbar | 1-25 |
| View Orientation | 1-26 |
| Display Style | 1-27 |
| Orthographic vs. Perspective | 1-27 |
| Customizing the Heads-up View Toolbar | 1-27 |
| Sketch Plane | 1-28 |
| Step 4-1: Adding an Extruded Boss Feature | 1-30 |
| Step 4-2: Adding an Extruded Cut Feature | 1-33 |
| Save the Part and Exit | 1-35 |
| Questions | 1-36 |
| Exercises | 1-37 |
| LACICISCS | 1 37 |
| Chapter 2 | |
| Truss Elements in Two-Dimensional Spaces | |
| Introduction | 2-2 |
| Truss Elements in Two-Dimensional Spaces | 2-2 |
| Coordinate Transformation | 2-5 |
| EXAMPLE 2.1 | 2-9 |
| Solution | 2-10 |
| Global Stiffness Matrix | 2-10 |
| EXAMPLE 2.2 | 2-13 |
| Solution | 2-13 |
| Questions | 2-19 |
| Exercises | 2-20 |
| | v |
| Chapter 3 | |
| 2D Trusses in MS Excel and the Truss Solver | |
| Direct Stiffness Matrix method using Excel | 3-2 |
| EXAMPLE 3.1 | 3-2 |
| Establish the Global K matrix for each member | 3-3 |
| Assembly of the Overall Global Stiffness Matrix | 3-8 |

| Table of Contents v | 7 |
|---------------------|---|
| | _ |

| Solving the Global Displacements Calculating Reaction Forces Determining the Stresses in Elements The Truss Solver and the Truss View programs The Truss View program Questions | 3-10 3-16 3-18 3-23 3-30 3-32 |
|---|---|
| Exercises | 3-33 |
| Chapter 4 Truss Elements in SolidWorks Simulation One-dimensional Line Elements Starting SolidWorks Units Setup Creating the CAD Model – Solid Modeling approach A CAD Model is NOT an FEA Model The SolidWorks Simulation Module Creating an FEA Model | 4-2 4-4 4-5 4-6 4-15 4-16 4-17 |
| Assign the Element Material Property Applying Boundary Conditions - Constraints Applying External Loads Create the FEA Mesh and Run the Solver Viewing the Stress results Viewing the Displacement results Questions Exercises | 4-19 4-20 4-23 4-25 4-26 4-28 4-29 4-30 |
| Chapter 5 SolidWorks Simulation Two-Dimensional Truss Analy | /sis |
| Finite Element Analysis Procedure Preliminary Analysis Starting SolidWorks Units Setup Creating the CAD Model – Structural Member approach Creating Structural Members in SolidWorks Weldment Profiles Activate the SolidWorks Simulation Module Setting Up Truss Elements Assign the Element Material Property Applying Boundary Conditions - Constraints and Loads Applying External Loads Create the FEA Mesh and Run the Solver | 5-2 5-3 5-4 5-5 5-6 5-8 5-9 5-12 5-14 5-15 5-16 5-21 5-23 |
| Viewing the Stress results Viewing the Internal Loads of All members Questions Exercises | 5-24 5-26 5-27 5-28 |

Chapter 6 Three-Dimensional Truss Analysis

| Three-Dimensional Coordinate Transformation Matrix | 6-2 |
|--|--------------|
| Stiffness Matrix | 6-3 |
| Degrees of Freedom | 6-3 |
| Problem Statement | 6-5 |
| Preliminary Analysis | 6-5 |
| Starting SolidWorks | 6-7 |
| Units Setup | 6-8 |
| Creating the CAD Model – Structural Member approach | 6-9 |
| Creating Weldments Profiles in SolidWorks | 6-12 |
| Creating Structural Members using the new profile | 6-16 |
| Editing the Dimensions of the new profile | 6-18 |
| Activate the SolidWorks Simulation Module | 6-19 |
| Setting Up Truss Elements | 6-21 |
| Assign the Element Material Property | 6-22 |
| Applying Boundary Conditions - Constraints | 6-23 |
| Applying External Loads | 6-24 |
| Create the FEA Mesh and Run the Solver | 6-26 |
| Using the Probe Option to View individual Stress | 6-27 |
| Viewing the Internal Loads of All members | 6-28 |
| Questions | 6-29 |
| Exercises | 6-30 |
| Chapter 7 | |
| Basic Beam Analysis | |
| Introduction | 7-2 |
| Modeling Considerations | 7-2 |
| Problem Statement | 7-3 |
| Preliminary Analysis | 7-3 |
| Starting SolidWorks | 7-6 |
| Units Setup | 7-7 |
| Creating the CAD Model – Structural Member approach | 7-8 |
| Creating a rectangular Weldment Profile | 7-10 |
| Creating Structural Members using the new profile | 7-14 |
| Adjusting the Orientation of the profile | 7-15 |
| Adding a Datum Point for the Concentrated Load | 7-16 |
| Activate the SolidWorks Simulation Module | 7-18 |
| Assign the Element Material Property | 7-20 |
| Applying Boundary Conditions - Constraints | 7-21 |
| Applying Concentrated Point Loads | |
| 11 7 - | 7-24 |
| Applying the Distributed Load | 7-24 7-26 |
| Applying the Distributed Load Create the FEA Mesh and Run the Solver | |

| | Table of Contents |
|---|-------------------|
| | |
| Directions 1 and 2 in Shear and Moment Diagrams | 7-32 |
| Questions | 7-34 |
| Exercises | 7-35 |
| Chapter 8 Beam Analysis Tools | |
| • | |
| Introduction | 8-2 |
| Problem Statement | 8-2 |
| Preliminary Analysis | 8-3 |
| Stress Components | 8-4 |
| Starting SolidWorks | 8-6 |
| Units Setup | 8-7 |
| Creating the CAD Model – Structural Member approach | 8-8 |
| Creating a rectangular Weldment Profile | 8-10 |
| Creating Structural Members using the new profile | 8-14 |
| Adjusting the Orientation of the profile | 8-15 |
| Adding a Datum Point | 8-16 |
| Activate the SolidWorks Simulation Module | 8-18 |
| Assign the Element Material Property | 8-20 |
| Applying Boundary Conditions - Constraints | 8-21 |
| Applying the Distributed Load | 8-24 |
| Create the FEA Mesh and Run the Solver | 8-26 |
| Shear and Moment Diagrams | 8-27 |
| Using the Probe Option to Examine Stress at Point1 | 8-29 |
| Questions | 8-30 |
| Exercises | 8-31 |
| Chapter 9 | |
| Statically Indeterminate Structures | |
| Introduction | 9-2 |
| Problem Statement | 9-3 |
| Preliminary Analysis | 9-3 |
| Starting SolidWorks | 9-6 |
| Units Setup | 9-7 |
| Creating the CAD Model | 9-8 |
| Creating a circular Weldment Profile | 9-10 |
| Creating Structural Members using the new profile | 9-14 |
| Adding a Datum Point for the Concentrated Load | 9-15 |
| Activate the SolidWorks Simulation Module | 9-17 |
| Assign the Element Material Property | 9-19 |
| Applying Boundary Conditions - Constraints | 9-20 |
| Applying the Concentrated Point Load | 9-24 |
| Create the FEA Mesh and Run the Solver | 9-25 |
| Viewing the Internal Loads of All members | 9-26 |

vii

| Shear and Moment Diagrams Questions | 9-27 9-29 |
|--|----------------|
| Exercises | 9-30 |
| Chapter 10 Two Dimensional Surface Analysis | |
| Introduction | 10-2 |
| Problem Statement | 10-3 |
| Preliminary Analysis | 10-3 |
| Maximum Normal Stress | 10-3 |
| Maximum Displacement | 10-4 |
| Geometric Considerations of Finite Elements | 10-5 |
| Starting SolidWorks | 10-6 |
| Units Setup | 10-7 |
| Creating a CAD Model in SolidWorks | 10-8 |
| Activate the SolidWorks Simulation Module | 10-11 |
| Defining A Surface Model Assign the Element Material Property | 10-13 10-14 |
| Applying Boundary Conditions - Constraints | 10-14 |
| Applying the External Load | 10-18 |
| H-Element versus P-Element | 10-21 |
| Create the first 2D Mesh –Coarse Mesh | 10-22 |
| Run the Solver | 10-24 |
| Refinement of the Mesh– Global Element Size 0.10 | 10-26 |
| Refinement of the Mesh–Global Element Size 0.05 | 10-28 |
| Refinement of the Mesh–Global Element Size 0.03 | 10-30 |
| Refinement of the Mesh– Global Element Size 0.02 | 10-31 |
| Comparison of Results Questions | 10-32 10-33 |
| Exercises | 10-33 |
| | |
| Chapter 11 | |
| Three-Dimensional Solid Elements | |
| Introduction | 11-2 |
| Problem Statement | 11-3 |
| Preliminary Analysis | 11-4 |
| Starting SolidWorks | 11-7 |
| Units Setup | 11-8 |
| Creating a CAD Model in SolidWorks Define the Sween Path | 11-9 11-9 |
| Define the Sweep PathDefine the Sweep Section | 11-9 |
| Create the Sweep Section Create the Sweep Feature | 11-11 |
| Create a Cut Feature | 11-13 |

| | Table of Contents |
|---|-------------------|
| | |
| Activate the SolidWorks Simulation Module | 11-16 |
| Assign the Element Material Property | 11-18 |
| Applying Boundary Conditions - Constraints | 11-19 |
| Applying the External Load | 11-20 |
| Create the first FEA Mesh –Coarse Mesh | 11-21 |
| Run the Solver | 11-23 |
| Refinement of the Mesh–Global Element Size 0.10 | 11-25 |
| Refinement of the FEA Mesh – Mesh Control Option | 11-27 |
| Refinement of the FEA Mesh – Automatic Transition | 11-30 |
| Comparison of Results | 11-32 |
| Notes on FEA Linear Static Analyses | 11-33 |
| Questions | 11-34 |
| Exercises | 11-35 |
| | |
| Chapter 12 | |
| 3D Thin Shell Analysis | |
| JD Tilli Sileli Allalysis | |
| Introduction | 12-2 |
| Problem Statement | 12-4 |
| Preliminary Analysis | 12-4 |
| Starting SolidWorks | 12-6 |
| Units Setup | 12-7 |
| Creating a CAD Model in SolidWorks | 12-8 |
| Activate the SolidWorks Simulation Module | 12-10 |
| Assign the Element Material Property | 12-12 |
| Applying Boundary Conditions - Constraints | 12-13 |
| Applying the External Pressure | 12-15 |
| Create the first FEA Mesh –Coarse Mesh | 12-16 |
| Run the Solver and View the results | 12-17 |
| Refinement of the Mesh–Global Element Size 0.0125 | 12-18 |
| Starting a New 3D Surface Model | 12-19 |
| Starting a New FEA Study | 12-22 |
| Completing the Definition of the Surface Model | 12-23 |
| Assign the Element Material Property | 12-24 |
| Applying Boundary Conditions - Constraints | 12-25 |
| Applying the External Pressure | 12-29 |
| Create the first FEA Mesh –Coarse Mesh | 12-30 |
| Run the Solver and View the results | 12-31 |
| Refinement of the Mesh– Global Element Size 0.009 | 12-32 |
| Questions | 12-33 |

Exercises

ix

12-34

Chapter 13 Dynamic Modal Analysis

| Introduction | 13-2 |
|---|-------|
| Problem Statement | 13-3 |
| Preliminary Analysis | 13-3 |
| The Cantilever Beam Modal Analysis program | 13-6 |
| Starting SolidWorks | 13-9 |
| Units Setup | 13-10 |
| Creating a CAD Model in SolidWorks | 13-11 |
| Activate the SolidWorks Simulation Module | 13-13 |
| Assign the Element Material Property | 13-16 |
| Create the first FEA Mesh | 13-17 |
| View the results | 13-19 |
| Refinement of the Mesh–Global Element Size 0.15 | 13-22 |
| Adding an additional mass to the system | 13-24 |
| One-Dimensional Beam Frequency Analysis | 13-28 |
| Conclusions | 13-29 |
| Questions | 13-30 |
| Exercises | 13-31 |

Index