




Assembly Modeling with SolidWorks 2012

For the SolidWorks user who needs to understand Assembly modeling


By Planchard & Planchard CSWP



SDC
PUBLICATIONS

Schroff Development Corporation

www.SDCpublications.com



Visit the following websites to learn more about this book:



[amazon.com](https://www.amazon.com)

[BARNES & NOBLE](https://www.barnesandnoble.com)

[Google books](https://books.google.com)

TABLE OF CONTENTS

| | |
|----------------------------------------------------------------------------|----------------|
| Introduction | I-1 |
| About the Cover | I-2 |
| About the Authors | I-2 |
| Dedication | I-3 |
| Contact the Authors | I-4 |
| Note to Instructors | I-4 |
| Trademarks, Disclaimers, and Copyrighted Material | I-4 |
| References | I-5 |
| Table of Contents | I-6 |
| What is SolidWorks | I-14 |
| Design Intent | I-17 |
| Overview of Chapters | I-20 |
| Chapter 1: SolidWorks 2012 User Interface | I-20 |
| Chapter 2: File Management, System Options, Templates, Explorer and more | I-20 |
| Chapter 3: Assembly Modeling – Bottom-up design approach | I-21 |
| Chapter 4: Bottom-up Design Approach – Two Levels of Configuration | I-21 |
| Chapter 5: Top-down Design Approach – Two Components with Configurations | I-22 |
| Chapter 6: Configurations, Custom Properties, Design Tables and References | I-22 |
| Chapter 7: Assembly Drawings with Revision Tables and Bill of Materials | I-23 |
| Chapter 8: Top-down design, Layout Sketches, Blocks and Motion | I-23 |
| Chapter 9: Introduction to the CSWA exam | I-24 |
| About the Book | I-25 |
| Windows Terminology in SolidWorks | I-26 |
| Chapter1 – SolidWorks 2012 User Interface | 1-1 |
| Chapter Overview | 1-3 |
| Start a SolidWorks 2012 Session | 1-3 |
| SolidWorks UI and CommandManager | 1-5 |
| Menu bar toolbar | 1-5 |
| Menu bar menu | 1-5 |
| Drop-down menu | 1-6 |
| Right-click Context toolbar | 1-6 |
| Fly-out tool buttons / Consolidated menu | 1-6 |
| System feedback icons | 1-7 |
| Confirmation Corner | 1-7 |
| Heads-up View toolbar | 1-7 |
| CommandManager | 1-10 |
| FeatureManager Design Tree | 1-14 |
| Fly-out FeatureManager | 1-16 |
| Task Pane | 1-17 |
| SolidWorks Resources | 1-17 |
| Design Library | 1-17 |
| File Explorer | 1-18 |
| View Palette | 1-18 |
| Appearances, Scenes, and Decals | 1-19 |
| Custom Properties | 1-19 |
| Document Recover | 1-19 |

| | |
|----------------------------------------------------------------------------------|------------|
| Motion Study tab | 1-20 |
| New Part | 1-21 |
| SolidWorks Default Graphics area | 1-23 |
| SolidWorks Help | 1-25 |
| SolidWorks Tutorials | 1-25 |
| Chapter Summary | 1-26 |
| Chapter Terminology | 1-27 |
| Chapter 2 - File Management, System Options, Templates, Explorer and more | 2-1 |
| Chapter Objective | 2-3 |
| Chapter Overview | 2-4 |
| Assembly Task List - Before you begin | 2-6 |
| DELIVERY STATION Assembly Layout Diagram | 2-8 |
| Assembly Layout modeling methods | 2-8 |
| Assembly Considerations | 2-9 |
| File Organization | 2-10 |
| File Management | 2-13 |
| Activity: Create New File Folders | 2-13 |
| System Options – File Locations | 2-14 |
| Document Templates | 2-14 |
| Reference Document | 2-15 |
| Design Library | 2-17 |
| Activity: Set System Options and File Locations | 2-17 |
| System Options – Large Assembly Mode | 2-19 |
| Resolved vs. Lightweight | 2-19 |
| Large Assembly Mode vs. Large Design Review | 2-19 |
| Selective Open | 2-20 |
| Simplifying Large Assemblies | 2-21 |
| SpeedPak Configurations | 2-21 |
| Suppression state of components | 2-22 |
| Resolve | 2-22 |
| Suppressed | 2-22 |
| Lightweight | 2-22 |
| Activity: Check Large Assembly Mode Setting | 2-25 |
| Assembly Template, Part Template and Document Properties | 2-25 |
| Various drafting standards | 2-26 |
| Default reference planes | 2-27 |
| Activity: Create an Assembly Template with Document Properties | 2-29 |
| Activity: Create an Part Template with Document Properties | 2-29 |
| SMC Component from 3D ContentCentral | 2-32 |
| Activity: Open the MGPM12-1010 assembly from 3D ContentCentral | 2-33 |
| SolidWorks Explorer | 2-35 |
| Activity: SolidWorks Explorer – Rename and Save components in an assembly | 2-36 |
| Open a document | 2-37 |
| Pack and Go | 2-37 |
| SolidWorks Rename | 2-38 |
| SolidWorks Replace | 2-38 |
| SolidWorks Move | 2-38 |
| Check In | 2-38 |
| Find in Vault | 2-38 |
| Saving an Assembly and its reference documents | 2-40 |

| | |
|----------------------------------------------------------------------|----------------|
| FeatureManager and Component States | 2-44 |
| Resolved Part | 2-44 |
| Lightweight | 2-44 |
| Out-of-Date | 2-44 |
| Suppressed | 2-44 |
| Hidden | 2-45 |
| Hidden Lightweight | 2-45 |
| Hidden, Out-of-Date | 2-45 |
| Hidden Smart Component | 2-45 |
| Rebuild | 2-45 |
| Flexible State | 2-45 |
| Resolved Assembly | 2-45 |
| Component Properties in an Assembly | 2-46 |
| Comparison of Component States | 2-47 |
| Geometric and Functional Requirements | 2-47 |
| Activity: Measure Geometric and Functional Requirements | 2-48 |
| SolidWorks Toolbox Configuration | 2-51 |
| Activity: SolidWorks Toolbox | 2-51 |
| Chapter Summary | 2-53 |
| Questions | 2-54 |
| Chapter 3 – Assembly Modeling – Bottom-up Design Approach | 3-1 |
| Chapter Objective | 3-3 |
| Chapter Overview | 3-4 |
| Geometric and Functional Requirements of the PLATE-A Part | 3-6 |
| Activity: Geometric and Functional Requirements of PLATE-A | 3-10 |
| Activity: Geometric and Functional Requirements of RODLESS-CYLINDER | 3-12 |
| PLATE-A | 3-14 |
| Activity: Create PLATE-A In-Context of the Assembly | 3-16 |
| Activity: Create a New Folder in the SolidWorks Design Library | 3-23 |
| Assembly Mating Techniques | 3-24 |
| LINEAR-TRANSFER Assembly | 3-26 |
| Activity: Insert Multiple Components in an Assembly | 3-27 |
| Customize the Keyboard | 3-28 |
| Shortcut keys | 3-28 |
| Activity: Customize the Keyboard | 3-29 |
| Activity: Create a New View | 3-30 |
| Modify the Base Component: Fixed / Float Option | 3-30 |
| Mate PropertyManager | 3-31 |
| Mates tab | 3-31 |
| Standard Mates | 3-32 |
| Advanced Mates | 3-33 |
| Mechanical Mates | 3-34 |
| Analysis tab | 3-35 |
| SmartMates | 3-38 |
| Types of SmartMates | 3-38 |
| InPlace Mates | 3-40 |
| Move Component in an Assembly | 3-41 |
| Rotate Component in an Assembly | 3-43 |
| Show Hidden Components | 3-43 |
| Assembly Features tools | 3-43 |

| | |
|--------------------------------------------------------------------------------------|----------------|
| Mate Reference toolbar | 3-43 |
| Mate Reference PropertyManager | 3-43 |
| Mate Errors | 3-45 |
| MateXpert | 3-45 |
| MateXpert PropertyManager | 3-45 |
| Diagnose Mating Problems | 3-46 |
| Activity: Insert SmartMates | 3-46 |
| Rigid vs. Flexible States | 3-51 |
| Activity: Modify the rigid state to flexible | 3-52 |
| Fasteners | 3-53 |
| Component Patterns | 3-55 |
| Linear Component Pattern | 3-56 |
| Circular Component Pattern | 3-56 |
| Feature Driven Component Pattern | 3-56 |
| Mirror Components | 3-56 |
| Activity: Apply Toolbox – Fasteners – SmartMate | 3-57 |
| Chapter Summary | 3-60 |
| Questions | 3-62 |
| Chapter 4 – Bottom-up Design Approach – Two Levels of Configurations | 4-1 |
| Chapter Objective | 4-3 |
| Chapter Overview | 4-3 |
| Configurations | 4-4 |
| Terminology Review | 4-4 |
| Manual (Add Configuration) Command | 4-5 |
| Configure Component / Configure Dimension tool | 4-8 |
| RODLESS-CYLINDER Assembly | 4-10 |
| LINEAR-TRANSFER Assembly | 4-10 |
| Activity: Apply the Collision Detection tool | 4-12 |
| Activity: Create a Distance Mate | 4-14 |
| Activity: Modify the Distance Mate | 4-16 |
| Activity: RODLESS-CYLINDER Configurations – Configure Dimension tool | 4-17 |
| Parent/Child relation in an assembly | 4-19 |
| LINEAR-TRANSFER Configurations | 4-20 |
| Activity: Create three new LINEAR-TRANSFER Configurations | 4-20 |
| Preparing for the next Assembly | 4-21 |
| Activity: Preparing for the next Assembly | 4-21 |
| Chapter Summary | 4-27 |
| Questions | 4-28 |
| Chapter 5 – Top-down Design Approach – Two Components with Configurations | 5-1 |
| Chapter Objective | 5-3 |
| Chapter Overview | 5-3 |
| Top-down Design Assembly Modeling Approach | 5-5 |
| In-Context | 5-7 |
| External References | 5-8 |
| Suffix | 5-9 |
| Lock / Break | 5-9 |
| 2AXIS-TRANSFER Assembly | 5-10 |
| Activity: Create the 2AXIS-TRANSFER Assembly | 5-10 |
| External References – InPlace Mates | 5-13 |

| | |
|---------------------------------------------------------------------|------|
| Activity: Create In-Context, External References, and InPlace Mates | 5-16 |
| Activity: Review External References in PLATE-B | 5-19 |
| Activity: Customize the Assembly toolbar in the CommandManager | 5-21 |
| Hole Selection | 5-22 |
| Activity: Insert a Hole | 5-23 |
| Mating the SLIDE-TABLE Assembly | 5-28 |
| Activity: Mating the SLIDE-TABLE Assembly to the 2AXIS-TRANSFER | 5-29 |
| Smart Fasteners | 5-32 |
| Activity: Measure and Insert Smart Fasteners | 5-33 |
| Edit Mates and Redefine Components | 5-37 |
| Activity: Redefine and Replace Components | 5-37 |
| Activity: Apply the Interference Detection tool | 5-41 |
| Redefine External References | 5-46 |
| External Reference – Out of Context | 5-47 |
| Activity: Redefine External References – Out of Context | 5-47 |
| Activity: Locate InPlace Mates with Filter FeatureManager tool | 5-53 |
| Activity: Insert Standard Mates between PLATE-B and GUIDE-CYLINDER | 5-54 |
| Activity: Apply the Interference Detection tool | 5-56 |
| Configurations | 5-57 |
| Activity: Create two new GUIDE-CYLINDER Configurations | 5-61 |
| Activity: Create two new SLIDE-TABLE Configurations | 5-65 |
| Activity: Create the Top Level 2AXIS-TRANSFER Configurations | 5-69 |
| Design Table | 5-72 |
| Chapter Summary | 5-76 |
| Questions | 5-77 |

Chapter 6 – Part and Assembly Configurations, Custom Properties, Design Tables and References

| | |
|------------------------------------------------------------------------------|-------------|
| Chapter Objective | 6-1 |
| Chapter Overview | 6-3 |
| ROTARY-GRIPPER Assembly | 6-7 |
| Activity: Create the ROTARY-GRIPPER Assembly | 6-8 |
| Dynamic Behavior of Components | 6-12 |
| Activity: View the Dynamic Behavior of Components | 6-13 |
| Three new ROTARY Configurations | 6-16 |
| Activity: Create new ROTARY Configurations: Add Configuration tool | 6-16 |
| Assemble the GRIPPER Assembly to the ROTARY Assembly | 6-19 |
| Activity: Assemble the Assemblies | 6-20 |
| PLATE-D part with In-Context features | 6-24 |
| Activity: Create PLATE-D In-Context to the ROTARY-GRIPPER | 6-25 |
| PLATE-D holes | 6-28 |
| Activity: Create the PLATE-D part | 6-28 |
| Activity: Display Update Holders in the Assembly | 6-32 |
| Remove External References and InPlace Mates | 6-33 |
| Activity: Remove External References and InPlace Mates in PLATE-D | 6-34 |
| Activity: Apply the SmartMate tool | 6-38 |
| PLATE-C | 6-41 |
| Activity: Create the PLATE-C part | 6-42 |
| Activity: Insert PLATE-C into the 2AXIS TRANSFER with no External References | 6-43 |
| Activity: Create the Cbore and the Linear Pattern feature in PLATE-C | 6-46 |
| Activity: Copy a sketch from one component to another | 6-51 |

| | |
|-------------------------------------------------------------------------------------|----------------|
| ROTARY-GRIPPER Design Table | 6-56 |
| Activity: Create the ROTARY-GRIPPER Design Table | 6-56 |
| PLATE-D Design Table and Properties | 6-58 |
| System Properties | 6-58 |
| User defined Properties | 6-59 |
| PATE-D Properties | 6-59 |
| Activity: Create the PLATE-D Design Table with Custom Properties | 6-60 |
| Edit the ROTARY-GRIPPER Design Table | 6-69 |
| Activity: Edit the ROTARY-GRIPPER Design Table | 6-69 |
| Activity: Edit the PLATE-D part and Design Table | 6-72 |
| Chapter Summary | 6-76 |
| Questions | 6-77 |
| Chapter 7 – Assembly Drawings with Revision Tables and Bill of Materials | 7-1 |
| Chapter Objective | 7-3 |
| Chapter Overview | 7-3 |
| 3AXIS-TRANSFER Assembly | 7-6 |
| Activity: Copy and open the Chapter 7 models | 7-7 |
| Activity: Insert SmartMates | 7-12 |
| 3AXIS-TRANSFER Assembly Configurations | 7-14 |
| Activity: Create the 3AXIS-TRANSFER Assembly Configurations | 7-15 |
| 3AXIS-TRANSFER Assembly Drawing | 7-18 |
| Activity: Create the 3AXIS-TRANSFER Assembly drawing | 7-18 |
| Activity: Search for a Part: SolidWorks Explorer | 7-24 |
| Activity: Modify the Title Block: Sheet1 | 7-29 |
| Activity: Create a Linked Note: Sheet1 | 7-30 |
| Activity: Add a Sheet – Insert an Isometric view | 7-32 |
| Bill of Materials | 7-34 |
| Activity: Create a Top-level only Bill of Materials: Shet2 | 7-36 |
| Activity: Create Custom Properties for the BOM Components: Sheet2 | 7-37 |
| Fasteners | 7-39 |
| Activity: Insert fasteners from the MY-TOOLBOX folder | 7-39 |
| Activity: Replace inserted fasteners (components) | 7-42 |
| Fastener Configuration | 7-44 |
| Activity: Create the 3AXIS-TRANSFER Assembly Fastener configuration | 7-45 |
| Additional information on Editing a Bill of Materials Table | 7-47 |
| Exploded View | 7-48 |
| Activity: Create the 3AXIS-TRANSFER Assembly Exploded view | 7-49 |
| Drawing – Balloons | 7-52 |
| Activity: Apply the AutoBalloon tool: Sheet2 | 7-53 |
| Custom Properties | 7-56 |
| Revision Table | 7-57 |
| Activity: Create a Revision Table: Sheet1 | 7-58 |
| Activity: Insert a Linked Note for Revision: Sheet1 | 7-60 |
| Drawing View Properties | 7-64 |
| Activity: Apply Drawing view Properties: Sheet1 | 7-64 |
| Activity: Create the 3AXIS_TRANSFER Drawing: Sheet3 | 7-66 |
| Activity: Create a Section View: Sheet3 | 7-68 |
| Chapter Summary | 7-74 |
| Questions | 7-75 |

| | |
|--------------------------------------------------------------------------------|----------------|
| Chapter 8 – Top-down Design, Layout Sketches, Blocks, Motion and more | 8-1 |
| Chapter Objective | 8-3 |
| Chapter Overview | 8-3 |
| Product Specification | 8-4 |
| Global Values and Equations | 8-6 |
| Activity: Create Global Values and Equations | 8-7 |
| Input Assembly and Reordering Components | 8-11 |
| Activity: Create the INPUT-BASE-PLATE Part | 8-13 |
| Activity: Insert a new Assembly – Reorder Components | 8-15 |
| Reusing Components: Component Pattern and Mirror Component | 8-17 |
| Activity: Reuse Components: Apply the Mirror Components tool | 8-20 |
| Insert the DELIVERY-STATION Assembly | 8-21 |
| Activity: Insert the DELIVERY-STATION Assembly | 8-21 |
| AssemblyXpert | 8-24 |
| Activity: Apply the AssemblyXpert tool | 8-24 |
| Assembly Visualization | 8-25 |
| Activity: Apply the Assembly Visualization tool | 8-25 |
| Layout-based Assembly Design | 8-25 |
| Activity: Layout-based Assembly Design – Motion – Example 1 | 8-26 |
| Activity: Layout-based Assembly Design – Motion – Example 2 | 8-28 |
| Envelopes | 8-32 |
| Additional Assembly tools: join, Split, and Explode Line Sketch | 8-32 |
| Join feature | 8-32 |
| Split feature | 8-35 |
| Exploded Line Sketch | 8-36 |
| Motion Study – Basic Motion tool | 8-38 |
| Assembly Motion | 8-38 |
| Animation Wizard | 8-39 |
| Basic Motion | 8-40 |
| Motor tool | 8-40 |
| Spring tool | 8-40 |
| Contact tool | 8-41 |
| Gravity tool | 8-41 |
| Activity: Basic Motion Study – Example 1 | 8-42 |
| Activity: Basic Motion Study – Example 2 | 8-43 |
| Chapter Summary | 8-44 |
| Chapter 9 – Introduction to the Certified SolidWorks Associate Exam | 9-1 |
| Chapter Objective | 9-3 |
| Introduction | 9-3 |
| Intended Audience | 9-3 |
| CSWA Exam Content | 9-5 |
| About the Exam | 9-9 |
| Exam day | 9-9 |
| Drafting Competencies | 9-14 |
| Basic and Intermediate Part Creation and Modification | 9-16 |
| Advanced Part Creation and Modification | 9-22 |
| Assembly Creation and Modification | 9-28 |

Appendix

ECO Form

A-1

Types of Decimal Dimensions (ASME Y14.5M)

A-2

SolidWorks Keyboard Shortcuts

A-3

Windows Shortcuts

A-3

Helpful On-Line information

A-4

Index

I-1