


Parametric Modeling with Autodesk® Inventor® 2013

Randy H. Shih



Visit the following websites to learn more about this book:



[amazon.com](https://www.amazon.com)

[BARNES & NOBLE](https://www.barnesandnoble.com)

[Google books](https://books.google.com)

Table of Contents

Preface	i
Acknowledgments	ii
Table of Contents	iii
Autodesk Inventor Certified User Examination Overview	xiii

Chapter 1 Getting Started

AutoCAD Certified User Examination Objectives Coverage	1-1
Introduction	1-2
Development of Computer Geometric Modeling	1-2
Feature-Based Parametric Modeling	1-6
Getting Started with Autodesk Inventor	1-7
The Screen Layout and Getting Started Toolbar	1-8
The New File Dialog Box and Units Setup	1-9
Autodesk Inventor Screen Layout	1-10
Application Menu	1-11
Quick Access Toolbar	1-11
Ribbon Tabs	1-11
Online Help Panel	1-11
2D Sketch Toolbar	1-12
Graphics Window	1-12
Message and Status Bar	1-12
Mouse Buttons	1-13
[Esc] - Canceling Commands	1-13
Autodesk Inventor Help System	1-14
Data Management using Inventor Project files	1-15
Setup of a New Inventor Project	1-16
The Content of an Inventor Project File	1-19
Leaving Autodesk Inventor	1-19

Chapter 2 Parametric Modeling Fundamentals

Introduction	2-3
The Adjuster Design	2-4
Starting Autodesk Inventor	2-4
The default Autodesk Inventor Screen Layout	2-6
Sketch plane – It is an XY Monitor, but an XYZ World	2-7
Create Rough Sketches	2-9
Step 1: Create a Rough Sketch	2-10
Graphics Cursors	2-10
Geometric Constraint Symbols	2-11

Step 2: Apply/Modify Constraints and Dimensions	2-12
Dynamic Viewing Functions – <i>Zoom</i> and <i>Pan</i>	2-15
Modifying the Dimensions of the Sketch	2-15
Step 3: Completing the Base Solid Feature	2-16
Isometric View	2-17
Dynamic Rotation of the 3-D block - 3D Orbit	2-18
Dynamic Viewing - Quick Keys	2-20
Viewing Tools – Standard Toolbar	2-21
Display Modes	2-25
Orthographic vs. Perspective	2-25
Disable the Heads-Up Display Option	2-26
Step 4-1: Adding an Extruded Feature	2-27
Step 4-2: Adding a Cut Feature	2-32
Save the Model	2-35
Questions	2-37
Exercises	2-38

Chapter 3

Constructive Solid Geometry Concepts

Introduction	3-3
Binary Tree	3-4
The Locator Design	3-5
Modeling Strategy - CSG Binary Tree	3-6
Starting Autodesk Inventor	3-7
Base Feature	3-8
<i>GRID</i> intervals Setup	3-9
Model Dimensions Format	3-12
Modifying the Dimensions of the Sketch	3-12
Repositioning Dimensions	3-13
Using the Measure Tools	3-14
Completing the Base Solid Feature	3-17
Create the Next Solid Feature	3-18
Create a CUT Feature	3-22
Create a PLACED FEATURE	3-25
Create a Rectangular Cut Feature	3-27
Save the Model	3-29
Questions	3-30
Exercises	3-31

Chapter 4

Model History Tree

Introduction	4-3
The <i>Saddle Bracket</i> Design	4-4
Starting Autodesk Inventor	4-4
Modeling Strategy	4-5

The <i>Autodesk Inventor Browser</i>	4-6
Create the Base Feature	4-6
Adding the Second Solid Feature	4-9
Create a 2D Sketch	4-10
Renaming the Part Features	4-12
Adjusting the Width of the Base Feature	4-13
Adding a Placed Feature	4-14
Create a Rectangular Cut Feature	4-16
History-Based Part Modifications	4-17
A Design Change	4-18
Assigning and Calculating the Associated Physical Properties	4-21
Questions	4-23
Exercises	4-24

Chapter 5

Parametric Constraints Fundamentals

CONSTRAINTS and RELATIONS	5-3
Create a Simple Triangular Plate Design	5-3
Fully Constrained Geometry	5-4
Starting Autodesk Inventor	5-4
Displaying Existing Constraints	5-5
Applying Geometric/Dimensional Constraints	5-7
Over-Constraining and Driven Dimensions	5-11
Deleting Existing Constraints	5-12
Using the Auto Dimension Command	5-13
Constraint and Sketch Settings	5-17
Parametric Relations	5-18
Dimensional Values and Dimensional Variables	5-20
Parametric Equations	5-21
Viewing the Established Parameters and Relations	5-23
Saving the Model File	5-24
Using the Measure Tools	5-25
Questions	5-29
Exercises	5-30

Chapter 6

Geometric Construction Tools

Introduction	6-3
The Gasket Design	6-3
Modeling Strategy	6-4
Starting Autodesk Inventor	6-5
Create a 2D Sketch	6-6
Edit the Sketch by Dragging the Sketched Entities	6-8
Add Additional Constraints	6-10
Use the <i>Trim</i> and <i>Extend</i> Commands	6-11

The <i>Auto Dimension</i> Command	6-13
Create Fillets and Completing the Sketch	6-15
Fully Constrained Geometry	6-16
Profile Sketch	6-18
Redefine the Sketch and the Profile	6-19
Create an OFFSET Cut Feature	6-23
Questions	6-26
Exercises	6-27

Chapter 7

Parent/Child Relationships and the BORN Technique

Introduction	7-3
The BORN Technique	7-3
The U-Bracket Design	7-4
Starting Autodesk Inventor	7-5
Sketch Plane Settings	7-5
Apply the BORN Technique	7-6
Create the 2-D Sketch of the Base Feature	7-8
Create the First Extrude Feature	7-12
The Implied Parent/Child Relationships	7-13
Create the Second Solid Feature	7-13
Create the First Cut Feature	7-17
Create the Second Cut Feature	7-18
Examine the Parent/Child Relationships	7-20
Modify a Parent Dimension	7-21
A Design Change	7-22
Feature Suppression	7-23
A Different Approach to the CENTER_DRILL Feature	7-24
Suppress the Rect_Cut Feature	7-26
Create a Circular Cut Feature	7-27
A Flexible Design Approach	7-29
View and Edit Material Properties	7-30
Questions	7-32
Exercises	7-33

Chapter 8

Part Drawings and Associative Functionality

Drawings from Parts and Associative Functionality	8-3
Starting Autodesk Inventor	8-4
Drawing Mode - 2D Paper Space	8-4
Drawing Sheet Format	8-6
Using the Pre-Defined Drawing Sheet Formats	8-8
Delete, Activate, and Edit Drawing Sheets	8-10
Add a Base View	8-11
Create Projected Views	8-12

Adjust the View Scale	8-13
Repositioning Views	8-14
Display Feature Dimensions	8-15
Repositioning and Hiding Feature Dimensions	8-17
Add Additional Dimensions – Reference Dimensions	8-19
Add Center Marks and Center Lines	8-20
Complete the Drawing Sheet	8-23
Associative Functionality – Modifying Feature Dimensions	8-24
3D Annotations in Isometric Views	8-27
Questions	8-35
Exercises	8-36

Chapter 9

Datum Features and Auxiliary Views

Work Features	9-3
Auxiliary Views in 2D Drawings	9-3
The <i>Rod-Guide</i> Design	9-3
Modeling Strategy	9-4
Starting Autodesk Inventor	9-5
Apply the BORN Technique	9-5
Create the Base Feature	9-7
Create an Angled Work Plane	9-9
Create a 2D Sketch on the Work Plane	9-10
Use the Projected Geometry Option	9-10
Complete the Solid Feature	9-14
Create an Offset Work Plane	9-15
Create another Cut Feature Using the Work Plane	9-16
Start a New 2D Drawing	9-18
Add a Base View	9-19
Create an Auxiliary View	9-20
Displaying Feature Dimensions	9-22
Adjust the View Scale	9-24
Retrieving Dimensions in the Auxiliary View	9-25
Add Center Marks and Center Lines	9-28
Complete the Drawing Sheet	9-31
Edit the Isometric view	9-32
Questions	9-33
Exercises	9-34

Chapter 10

Symmetrical Features in Designs

Introduction	10-3
A Revolved Design: PULLEY	10-3
Modeling Strategy - A Revolved Design	10-4
Starting Autodesk Inventor	10-5

Setup the Display of the Sketch Plane	10-5
Create the 2-D Sketch for the Revolved Feature	10-6
Create the Revolved Feature	10-10
Mirroring Features	10-11
Create a Pattern Leader Using Construction Geometry	10-13
Circular Pattern	10-18
Examine the Design Parameters	10-20
Drawing Mode – Defining New Border and Title Block	10-20
Create a Drawing Template	10-23
Create the necessary Views	10-24
Retrieve Dimensions – Features Option	10-27
Associative Functionality – A Design Change	10-29
Add Center Lines to the Pattern Feature	10-31
Complete the Drawing	10-32
Questions	10-35
Exercises	10-36

Chapter 11

Advanced 3D Construction Tools

Introduction	11-3
A Thin-Walled Design: <i>Dryer Housing</i>	11-3
Modeling Strategy	11-4
Starting Autodesk Inventor	11-5
Set Up the Display of the Sketch Plane	11-5
Create the 2-D Sketch for the Base Feature	11-6
Create a Revolved Feature	11-9
Create Offset Work Planes	11-10
Create 2D Sketches on the Offset Work Planes	11-11
Create a Lofted Feature	11-14
Create an Extruded Feature	11-16
Complete the Extruded Feature	11-18
Create 3D Rounds and Fillets	11-19
The Shell Operation	11-20
Create a Pattern Leader	11-21
Create a Rectangular Pattern	11-24
Create a Swept Feature	11-26
Define a 2D Sweep Path	11-26
Define the Sweep Section	11-28
Complete the Swept Feature	11-30
Questions	11-32
Exercises	11-33

Chapter 12

Sheet Metal Designs

Sheet Metal Processes	12-3
Sheet Metal Modeling	12-5
K-Factor	12-6
The Actuator Bracket Design	12-7
Starting Autodesk Inventor	12-8
Sheet Metal Defaults	12-9
Create the Base Face Feature of the Design	12-12
Using the Flange Command	12-15
Mirroring Features	12-19
Create a Cut Feature	12-20
Create a Fold Feature	12-22
Create the Associated Flat Pattern	12-25
Confirm the Flattened Length	12-26
Create a 2D Sheet Metal Drawing	12-27
Questions	12-34
Exercises	12-35

Chapter 13

Assembly Modeling - Putting It All Together

Introduction	13-3
Assembly Modeling Methodology	13-4
The Shaft Support Assembly	13-5
Additional <i>Parts</i>	13-5
(1) Collar	13-5
(2) Bearing	13-6
(3) Base-Plate	13-6
(4) Cap-Screw	13-7
Starting Autodesk Inventor	13-8
Placing the First Component	13-9
Placing the Second Component	13-10
Degrees of Freedom and Constraints	13-11
Assembly Constraints	13-12
Apply the First Assembly Constraint	13-14
Apply a Second Mate Assembly Constraint	13-16
Constrained Move	13-17
Apply a Flush Constraint	13-18
Placing the Third Component	13-20
Applying an Insert Constraint	13-20
Assemble the Cap-Screws	13-22
Exploded View of the Assembly	13-23
Editing the Components	13-25
Adaptive Design Approach	13-26
Delete and Re-apply Assembly Constraints	13-30

Setup a Drawing of the Assembly Model	13-32
Create a Parts List	13-34
Edit the Parts List	13-35
Changing the Material Type	13-37
Complete the Assembly Drawing	13-39
Bill of Materials	13-40
(a) BOM from Parts List	13-40
(b) BOM from Assembly Model	13-41
Questions	13-42
Exercises	13-43

Chapter 14

Content Center and Basic Motion Analysis

Introduction	14-3
The Crank-Slider Assembly	14-4
Create the Required Parts	14-4
Starting Autodesk Inventor	14-6
Placing the First Component	14-7
Placing the Second Component	14-8
Apply the Assembly Constraints	14-9
Apply a Second MATE Constraint	14-10
Constrained Move	14-11
Place the Third Component	14-11
Assemble the CS-Rod Part	14-14
Make a Copy of the PIN Part	14-15
Assemble the CS-Slider Part	14-16
Add an Angle Constraint to Fully Constrain the Assembly	14-21
Interference Analysis	14-23
Basic Motion Analysis	14-24
3D Grip Editing the CS-Slider Part	14-27
Questions	14-31
Exercises	14-32

Chapter 15

2D Design Reuse, Collision and Contact

Introduction	15-3
The Geneva CAM Assembly	15-4
Internet Downloading the Geneva-Wheel DWG File	15-4
Opening AutoCAD DWG File in Inventor	15-5
Use the Measuring Tools	15-6
Switch to the AutoCAD DWG Layout	15-8
2D Design Reuse	15-9
Complete the Imported Sketch	15-14
Create the First Solid Feature	15-16
Create a Mirrored Feature	15-17

Circular Pattern	15-18
Complete the Geneva Wheel Design	15-19
Additional Parts	15-20
Start a New Assembly	15-22
Placing the Second Component	15-23
Apply the Assembly Constraints	15-24
Apply a Second MATE Constraint	15-25
Constrained Move	15-25
Assemble the Geneva-Driver	15-26
Assemble the Geneva-Pin	15-27
Add an Angle Constraint to Constrain the Driver	15-28
Animation with Drive Constraint Tool	15-29
Use the Inventor Contact Solver	15-31
Constrained Move with Suppressed Constraints	15-33
Questions	15-35
Exercises	15-36

Chapter 16

Introduction to Stress Analysis

Introduction	16-2
Problem Statement	16-4
Preliminary Analysis	16-4
• Maximum Displacement	16-5
Finite Element Analysis Procedure	16-6
Create the <i>Autodesk Inventor</i> Part	16-7
Create the 2D Sketch for the Plate	16-8
Assigning the Material Properties	16-10
Switch to the <i>Stress Analysis</i> Module	16-11
Create an FEA Simulation	16-12
Apply Constraints and Loads	16-14
Create a Mesh and Run the Solver	16-16
Refinement of the FEA Mesh – Global Element Size	16-18
Refinement of the FEA Mesh – Local Element Size	16-20
Comparison of Results	16-23
Create an HTML Report	16-24
Geometric Considerations of Finite Elements	16-25
Conclusion	16-26
Summary of Modeling Considerations	16-26
Questions	16-27
Exercises	16-28

Appendix

Index