
Tools for Design Using AutoCAD[®] 2013 and Autodesk[®] Inventor[®] 2013

Hand Sketching, 2D Drawing and 3D Modeling

Randy H. Shih





Better Textbooks. Lower Prices. www.SDCpublications.com Tutorial files on enclosed CD

Supplemental Files

Visit the following websites to learn more about this book:



Table of Contents

Preface Acknowledgments

Introduction Getting Started

Introduction Intro-2	
Development of Computer Aided Design Intro-2	
Why use AutoCAD [®] 2013? Intro-5	
Why use Autodesk [®] Inventor [®] 2013? Intro-6	
Tutorial Style Lessons Intro-7	

Section I – AutoCAD[®]

Chapter 1 Fundamentals of AutoCAD[®]

Getting started with AutoCAD [®] 2013	1-2
AutoCAD [®] 2013 Screen Layout	1-3
5	
Application Menu	1-4
Workspace Switching	1-4
Quick Access Toolbar	1-4
AutoCAD Menu Bar	1-4
Graphics Window	1-4
Graphics Cursor or Crosshairs	1-5
Command prompt Area	1-5
Cursor Coordinates	1-5
Status Toolbar	1-5
Ribbon Tabs and Panels	1-5
Draw and Modify Toolbar Panel	1-6
Layers Control Toolbar Panel	1-6
Annotation Toolbar Panel	1-6
Layout/Model Toolbar	1-6
Viewing Toolbar	1-6
Mouse Buttons	1-7
[Esc] – Canceling commands	1-7
On-Line Help	1-8
Leaving AutoCAD [®] 2013	1-9
Creating a CAD file folder	1-9
Computer Aided Design/Drafting	1-10
Starting Up AutoCAD [®] 2013	1-10

i

ii

Drawing Units display Setup	1-12
Drawing Area Setup	1-13
Drawing Lines with the LINE command	1-15
Visual reference	1-17
<i>GRID</i> ON	1-18
<i>SNAP Mode</i> ON	1-19
Using the ERASER	1-20
Repeat the last command	1-21
The CAD Database and the User Coordinate System	1-22
Changing to the 2D UCS icon Display	1-23
Cartesian and Polar Coordinate Systems	1-24
Absolute and Relative coordinates	1-24
Defining Positions	1-25
The Guide Plate	1-26
Creating Circles	1-30
Save the CAD file	1-32
Close the Current Drawing	1-33
The Spacer design	1-34
Start a New Drawing	1-34
Drawing Units Setup	1-35
Drawing Area Setup	1-36
Using the Line Command	1-38
Using the ERASE command	1-40
Using the Arc Command	1-40
Using the Circle command	1-42
Saving the CAD Design	1-43
Exit AutoCAD	1-43
Questions	1-44
Exercises	1-45

Chapter 2 Basic Object Construction and Dynamic Input Using AutoCAD[®]

Introduction	2-2
Starting Up AutoCAD [®] 2013	2-3
Dynamic Input	2-3
The RockerArm Design	2-6
Activate the Startup option	2-7
Drawing Units Display Setup	2-8
GRID and SNAP intervals Setup	2-9
Drawing Area Setup	2-10
Referencing the World Coordinate System	2-11
Creating Circles	2-12
Object Snap toolbar	2-13
Using the LINE command	2-14
Creating a TTR circles	2-16

iv

v

Using the TRIM Command	2-18
Using the <i>Polygon</i> command	2-20
Creating a Concentric Circle	2-22
Using the QuickCal Calculator to Measure Distance and Angle	2-23
Saving the CAD file	2-27
Exit AutoCAD	2-27
Questions	2-28
Exercises	2-29

Chapter 3 Geometric Construction and Editing Tools Using AutoCAD[®]

Geometric Constructions	3-2
Starting Up AutoCAD [®] 2013	3-3
Geometric Construction - CAD Method	3-4
• Bisection of a Line or Arc	3-4
Bisection of An Angle	3-7
Transfer of An Angle	3-9
• Dividing a Given Line into A Number of Equal Parts	3-13
Circle Through Three Points	3-15
Line Tangent To A circle from A Given Point	3-16
Circle of a Given Radius Tangent To Two Given Lines	3-17
The Gasket design	3-20
Drawing Units Display Setup	3-21
GRID and SNAP intervals Setup	3-22
Using the <i>LINE</i> command	3-23
Object Snap Toolbar	3-25
Using the EXTEND Command	3-28
Using the TRIM Command	3-29
Creating a <i>TTR circle</i>	3-30
Using the <i>FILLET</i> command	3-31
Converting objects into a <i>Polyline</i>	3-32
Using the OFFSET command	3-33
Using the Area Inquiry Tool to Measure Area and Perimeter	3-34
Using the <i>EXPLODE</i> command	3-36
Create another <i>FILLET</i>	3-36
Saving the CAD file	3-37
Exit AutoCAD	3-37
Questions	3-38
Exercises	3-39

Chapter 4 Orthographic Views in Multiview Drawings Using AutoCAD[®]

Introduction	4-2
The LOCATOR Design	4-2
The <i>Locator</i> part	4-3
Starting Up AutoCAD [®] 2013	4-3
Layers setup	4-4
Drawing Construction Lines	4-5
Using the OFFSET command	4-5
Set Layer <i>Object</i> as the current layer	4-7
Using the Running Object Snaps	4-7
Creating Object lines	4-9
Turn OFF the construction Lines	4-10
Adding more objects in the Front View	4-10
AutoCAD's AutoSnap ^{TM} and AutoTrack ^{TM} features	4-11
Adding more objects in the Top View	4-13
Drawing using the Miter Line method	4-17
More Layers setup	4-19
Top View to Side View Projection	4-20
Completing the Front View	4-22
Object Information Using the List command	4-24
Object Information Using the Properties command	4-25
Questions	4-26
Exercises	4-27

Chapter 5 Basic Dimensioning and Notes Using AutoCAD[®]

Dimensioning Tools in AutoCAD [®]	5-2
The P-Bracket Design	5-2
Starting Up AutoCAD [®] 2013	5-3
Layers setup	5-4
The P-Bracket Design	5-5
Drawing Construction Lines	5-6
Using the OFFSET command	5-6
Set Layer Object_Lines as the current layer	5-8
Creating Object lines	5-8
Creating Hidden lines	5-9
Creating Center lines	5-10
Turn off the Construction lines	5-10
Using the FILLET command	5-11
Saving the Completed CAD Design	5-12
Accessing the Dimensioning Commands	5-13
The Dimension toolbar	5-14

vi

vii

Using Dimension Style Manager	5-14
Dimensions Nomenclature and Basics	5-15
Using the Center Mark command	5-18
Adding Linear Dimensions	5-19
Adding Angular Dimensions	5-20
Adding Radius and Diameter Dimensions	5-21
Using the SINGLE LINE TEXT command	5-22
Adding Special Characters	5-23
Saving the design	5-24
A Special Note on Layers containing Dimensions	5-24
Questions	5-25
Exercises	5-26

Chapter 6 Pictorials and Sketching

Engineering Drawings, Pictorials and Sketching	6-2
Isometric Sketching	6-7
Isometric Sketching Exercises	6-9
Oblique Sketching	6-10
Oblique Sketching Exercises	6-11
Perspective Sketching	6-12
One-point Perspective Sketching	6-13
Two-point Perspective Sketching	6-14
Perspective Sketching Exercises	6-15
Questions	6-16
Exercises	6-17

Section II – Autodesk[®] Inventor[®]

Chapter 7 Parametric Modeling Fundamentals – Autodesk[®] Inventor[®]

Getting Started with Autodesk [®] Inventor [®]	7-2
The Screen layout and Getting Started toolbar	7-3
The New File dialog box and Units Setup	7-4
Autodesk [®] Inventor [®] Screen Layout	7-5
Application Menu	7-6
Quick Access Toolbar	7-6
Ribbon Tabs	7-6
Online Help Panel	7-6
2D Sketch Toolbar	7-7
Graphics Window	7-7
Graphics Cursor or Crosshairs	7-7

Message and Status bar Area	7-8
Mouse Buttons	7-8
[Esc] – Canceling commands	7-9
On-Line Help	7-9
Data Management using Inventor Project files	7-10
Setup of a New Inventor Project	7-12
The Content of the Inventor Project File	7-14
Leaving Autodesk [®] Inventor [®]	7-14
Feature-based Parametric Modeling	7-15
The Adjuster design	7-16
Starting Autodesk [®] Inventor [®]	7-16
Autodesk [®] Inventor [®] Screen Layout	7-18
Creating Rough Sketches	7-19
Step 1: Creating a rough sketch	7-20
Graphics Cursors	7-20
Geometric Constraint Symbols	7-21
Step 2: Apply/modify constraints and dimensions	7-22
Dynamic Viewing Functions – Zoom and Pan	7-25
Modifying the dimensions of the sketch	7-25
Step 3: Completing the Base Solid Feature	7-26
Isometric View	7-27
Dynamic Rotation of the 3-D block – 3D Orbit	7-28
Dynamic Viewing – Quick Keys	7-29
Viewing Tools – Standard Toolbar	7-30
Display Modes	7-35
Orthographic vs. Perspective	7-35
Disable the Heads-Up Display Option	7-36
Sketch plane – It is an XY CRT, but an XYZ World	7-37
Step 4-1: Adding an extruded feature	7-39
Step 4-2: Adding a cut feature	7-43
Save the Model	7-46
Questions	7-47
Exercises	7-48

Chapter 8 Constructive Solid Geometry Concepts – Autodesk[®] Inventor[®]

Introduction	8-2
Binary Tree	8-3
The Locator Design	8-4
Modeling Strategy – CSG Binary Tree	8-5
Starting Autodesk Inventor	8-6
GRID and SNAP intervals Setup	8-7
Base Feature	8-8
Model Dimensions Format	8-10

Modifying the dimensions of the sketch	8-10
Repositioning Dimensions	8-11
Using the Measure Tools	8-12
Completing the Base Solid Feature	8-15
Creating the next solid feature	8-16
Creating a CUT Feature	8-20
Creating a PLACED FEATURE	8-23
Creating a Rectangular Cut Feature	8-25
Questions	8-27
Exercises	8-28

Chapter 9 Model History Tree – Autodesk[®] Inventor[®]

Introduction	9-2
The Saddle Bracket Design	9-3
Starting Autodesk Inventor	9-3
Modeling Strategy	9-4
The Autodesk Inventor Browser	9-5
Creating the Base Feature	9-5
Adding the Second Solid Feature	9-8
Creating a 2D sketch	9-9
Renaming the Part Features	9-11
Adjusting the Width of the Base Feature	9-12
Adding a Placed Feature	9-13
Creating a Rectangular Cut Feature	9-15
History-based Part Modifications	9-16
A Design change	9-17
Assigning and Calculating the Associated Physical Properties	9-20
Questions	9-22
Exercises	9-23

Chapter 10 Parametric Constraints Fundamentals Using Autodesk[®] Inventor[®]

CONSTRAINTS and RELATIONS	10-2
Create a Simple Triangular Plate Design	10-2
Fully Constrained Geometry	10-3
Starting Autodesk Inventor	10-3
Displaying existing constraints	10-4
Applying Geometric/Dimensional Constraints	10-6
Over-constraining and Driven Dimensions	10-10
Deleting existing constraints	10-11
Using the Auto Dimension command	10-12

Constraint Settings	10-16
Parametric relations	10-17
Dimensional Values and Dimensional Variables	10-19
Parametric Equations	10-20
Viewing the Established Parameters and Relations	10-21
Saving the Model File	10-22
Using the Measure Tools	10-23
Questions	10-27
Exercises	10-28

Chapter 11 Geometric Construction Tools Using Autodesk[®] Inventor[®]

Introduction	11-2
The Gasket Design	11-2
Modeling Strategy	11-3
Starting Autodesk Inventor	11-4
Creating a 2D Sketch	11-5
Editing the Sketch by Dragging the Sketched Entities	11-7
Adding Additional Constraints	11-9
Using the Trim and Extend Commands	11-10
The Auto Dimension command	11-12
Creating Fillets and Completing the Sketch	11-14
Fully Constrained Geometry	11-15
Profile Sketch	11-17
Redefining the Sketch and the Profile	11-18
Create an OFFSET Cut Feature	11-22
Questions	11-25
Exercises	11-26

Chapter 12 Parent/Child Relationships and the BORN Technique Using Autodesk[®] Inventor[®]

Introduction	12-2
The BORN Technique	12-2
The U-Bracket Design	12-3
Sketch plane setting	12-4
Applying the BORN Technique	12-5
Creating the 2-D Sketch of the Base feature	12-7
Create the First Extrude Feature	12-11
The Implied Parent/Child Relationships	12-12
Creating the Second Solid Feature	12-12
Creating the First Cut feature	12-16

xi

Creating the Second Cut feature	12-17
Examining the Parent/Child Relationships	12-19
Modify a Parent Dimension	12-20
A Design Change	12-21
Feature Suppression	12-22
A different approach to the CENTER_DRILL feature	12-23
Suppress the Rect_Cut feature	12-25
Creating a Circular Cut Feature	12-26
A Flexible Design Approach	12-28
Creating and Editing Material Properties	12-29
Using the New Material	12-31
Questions	12-33
Exercises	12-34

Chapter 13 Part Drawings and 3D Annotations Using Autodesk[®] Inventor[®]

Drawings from Parts and Associative Functionality	13-2
Starting Autodesk Inventor	13-3
Drawing Mode – 2D Paper Space	13-3
Drawing Sheet Format	13-5
Using the Pre-defined Drawing Sheet Formats	13-7
Deleting, Activating, and Editing a Drawing Sheet	13-9
Adding a Base View	13-10
Creating Projected Views	13-11
Adjusting the View Scale	13-12
Repositioning Views	13-13
Displaying Feature Dimensions	13-14
Repositioning and Hiding Feature Dimensions	13-16
Adding Additional Dimensions – Reference Dimensions	13-18
Adding Center Marks and Center Lines	13-19
Completing the Drawing Sheet	13-22
Associative Functionality – Modifying Feature Dimensions	13-23
3D Annotations in Isometric Views	13-26
Questions	13-34
Exercises	13-35

Chapter 14 Symmetrical Features in Designs Using Autodesk[®] Inventor[®]

Introduction	14-2
A Revolved Design: PULLEY	14-2
Modeling Strategy – A Revolved Design	14-3
Starting Autodesk Inventor	14-4

xii

Setup the display of the Sketch Plane	14-4
Creating the 2-D Sketch for the Revolved feature	14-5
Creating the Revolved Feature	14-9
Mirroring Features	14-10
Creating A Pattern Leader Using Construction Geometry	14-12
Circular Pattern	14-17
Examining the design parameters	14-19
Drawing Mode – Defining New Border and Title Block	14-19
Creating a Drawing Template	14-22
Creating Views	14-23
Retrieve Dimensions – Features option	14-26
Associative Functionality – A Design Change	14-28
Adding Center lines to the Pattern feature	14-30
Completing the Drawing	14-31
Saving the Pulley Design as an AutoCAD 2D Drawing	14-34
Opening the Saved Drawing in AutoCAD	14-36
Questions	14-38
Exercises	14-39

AutoCAD[®] and Autodesk[®] Inventor[®]

Chapter 15 Design Reuse Using AutoCAD[®] and Autodesk[®] Inventor[®]

Introduction	15-2
The Geneva Wheel Design	15-3
Internet Downloading the Geneva-Wheel DWG file	15-3
Opening AutoCAD DWG file in Inventor	15-4
Using the Measuring Tools	15-5
Opening the AutoCAD DWG Layout	15-7
2D Design Reuse	15-9
Completing the Imported Sketch	15-13
Creating the First Solid Feature	15-15
Creating a Mirrored Feature	15-16
Circular Pattern	15-17
Completing the Geneva Wheel design	15-18
Additional Parts	15-19
Export an Inventor 2D Sketch as AutoCAD Drawing	15-22
Design Reuse – Sketch Insert option	15-23
Questions	15-29
Exercises	15-30

Chapter 16 Assembly Modeling: Putting It All Together Using Autodesk[®] Inventor[®]

Introduction	16-2
Assembly Modeling Methodology	16-3
The Shaft Support Assembly	16-4
Additional Parts	16-4
(1) Collar	16-4
(2) Bearing	16-5
(3) Base-Plate	16-5
(4) Cap-Screw	16-6
Starting Autodesk Inventor	16-7
Placing the First Component	16-8
Placing the Second Component	16-9
Degrees of Freedom and Constraints	16-10
Assembly Constraints	16-11
Apply the First Assembly Constraint	16-13
Apply a Second Mate Assembly Constraint	16-15
Constrained Move	16-16
Apply a Flush Constraint	16-17
Placing the Third Component	16-19
Applying an Insert Constraint	16-19
Assemble the Cap-Screws	16-21
Exploded View of the Assembly	16-22
Editing the Components	16-24
Adaptive Design Approach	16-25
Delete and Re-apply Assembly Constraints	16-29
Setup a Drawing of the Assembly Model	16-31
Creating a Parts List	16-33
Editing the Parts List	16-34
Changing the Material Type	16-36
Completing the Assembly Drawing	16-38
Bill of Materials	16-39
(a) BOM from Parts List	16-39
(b) BOM from Assembly Model	16-40
Questions	16-41
Exercises	16-42

Chapter 17 Design Analysis Using Autodesk[®] Inventor[®] Stress Analysis Module

Introduction	17-2
Problem Statement	17-4
Preliminary Analysis	17-4
Maximum Displacement	17-5
Finite Element Analysis Procedure	17-6
Create the Autodesk Inventor Part	17-7
Creating the 2D Sketch for the Plate	17-8
Assigning the Material Properties	17-10
Switch to the Stress Analysis Module	17-11
Create an FEA Simulation	17-12
Applying Constraints and Load	17-14
Creating a Mesh and Run the Solver	17-16
Refinement of the FEA Mesh – Global Element Size	17-18
Refinement of the FEA Mesh – Local Element Size	17-20
Comparison of Results	17-23
Creating an HTML Report	17-24
Geometric Considerations of Finite Elements	17-25
Questions	17-26
Exercises	17-27

Index

On the CD

Chapter 18 – LEGO [®] MINDSTORMS[®] NXT Assembly Modeling with the LEGO[®] MINDSTORMS[®] NXT Set – Autodesk[®] Inventor[®]

Introduction	18-2
The Basic Car Assembly	18-2
Modeling Strategy	18-3
Starting Autodesk Inventor	18-4
Creating a sub-assembly	18-5
Placing the Next Component	18-6
Degrees of Freedom Display	18-6
Adjusting the Component's Orientation	18-7
Apply the Assembly Constraints	18-8
Assemble the next Component	18-13
Assembling Bushing and Axel	18-15
Completing the Motor-Right subassembly	18-18
Starting the Main Assembly	18-20
Assemble the Frame and Motors	18-23
Assemble the Motor Assemblies	18-25
Adding the Motor-Right subassembly to the Main Assembly	18-30
Assemble the Rear Swivel Assembly and Wheels	18-31
Assemble the NXT Microcontroller	18-37
Assemble the Sensors	18-40

Chapter 19 Assembly Modeling with the TETRIX[®] by Pitsco Building System – Autodesk[®] Inventor[®]

The ST1 Assembly19-2Modeling Strategy19-3Starting Autodesk Inventor19-4
6 6,
Starting Autodesk Inventor 19-4
Creating a sub-assembly 19-5
Placing the Next Component 19-6
Degrees of Freedom Display 19-7
Adjusting the Component's Orientation 19-8
Starting the Main Assembly 19-18
Adjusting the Orientation of a Grounded Part 19-20
Adjusting the Orientation of Parts 19-22
Assemble the DC Motor Controller 19-25
Assemble the DC Motor Controller 19-27

Completing the Chassis	19-29
Assemble the Motor-Wheel Assembly	19-33
Assemble the NXT Microcontroller	19-38
Assemble the NXT Touch-Sensor	19-39
Conclusion	19-41

Chapter 20 – VEX Assembly Model with Vex Robot Kit Using Autodesk[®] Inventor[®]

Introduction	18-2
The Tumbler Assembly	18-2
Starting Autodesk Inventor	18-3
Creating a sub-assembly	18-4
Placing the Second Component	18-5
Degrees of Freedom Display	18-6
Adjusting the Component's Orientation	18-7
Apply the Assembly Constraints	18-8
Assemble the next Component	18-11
Assembling Bearing Rivets and Screws	18-13
Assembling Shaft Collars, Shafts and Motors	18-16
Assemble the Wheels	18-23
Modifying the Wheel directions	18-27
Starting the Tumbler Assembly	18-30
Assemble the Chassis	18-33
Assemble the Chassis Plate	18-37
Adding the Battery Pack under the Chassis Plate	18-39
Adding the RF Receiver on the Rear Chassis Bumper	18-40
Assemble the VEX Microcontroller	18-43
Assemble the Antenna	18-46
Conclusion	18-47
Questions	18-48
Exercises	18-49