


Tools for Design Using AutoCAD® 2014 and Autodesk® Inventor® 2014

Hand Sketching, 2D Drawing and 3D Modeling



Randy H. Shih

Visit the following websites to learn more about this book:



[amazon.com](https://www.amazon.com)

[BARNES & NOBLE](https://www.barnesandnoble.com)

[Google books](https://books.google.com)

Table of Contents

| | |
|--------------------------------------|---------|
| Preface | i |
| Acknowledgments | ii |
| | |
| Introduction | |
| Getting Started | |
| Introduction | Intro-2 |
| Development of Computer Aided Design | Intro-2 |
| Why Use AutoCAD® 2014? | Intro-5 |
| Why Use Autodesk® Inventor® 2014? | Intro-6 |
| Tutorial Style Lessons | Intro-7 |
| | |
| Section I – AutoCAD® | |
| | |
| Chapter 1 | |
| Fundamentals of AutoCAD® | |
| Getting Started with AutoCAD® 2014 | 1-2 |
| AutoCAD® 2014 Screen Layout | 1-3 |
| Application Menu | 1-4 |
| Workspace Switching | 1-4 |
| Quick Access Toolbar | 1-4 |
| AutoCAD Menu Bar | 1-4 |
| Graphics Window | 1-5 |
| Graphics Cursor or Crosshairs | 1-5 |
| Command Prompt Area | 1-5 |
| Cursor Coordinates | 1-5 |
| Status Toolbar | 1-5 |
| Ribbon Tabs and Panels | 1-5 |
| Draw and Modify Toolbar Panels | 1-6 |
| Layers Control Toolbar Panel | 1-6 |
| Annotation Toolbar Panel | 1-6 |
| Layout/Model Toolbar | 1-6 |
| Viewport/View/Display Controls | 1-6 |
| Mouse Buttons | 1-7 |
| [Esc] – Canceling Commands | 1-7 |
| On-Line Help | 1-8 |
| Leaving AutoCAD® 2014 | 1-9 |
| Creating a CAD File Folder | 1-9 |
| Drawing in AutoCAD | 1-10 |
| Starting Up AutoCAD® 2014 | 1-10 |

| | |
|---|------|
| Drawing Units Setup | 1-12 |
| Drawing Area Setup | 1-13 |
| Drawing Lines with the <i>LINE</i> command | 1-15 |
| Visual Reference | 1-17 |
| GRID ON | 1-18 |
| SNAP MODE ON | 1-19 |
| Using the <i>ERASE</i> Command | 1-20 |
| Repeat the Last Command | 1-21 |
| The CAD Database and the User Coordinate System | 1-22 |
| Changing to the 2D UCS icon Display | 1-23 |
| Cartesian and Polar Coordinate Systems | 1-24 |
| Absolute and Relative Coordinates | 1-24 |
| Defining Positions | 1-25 |
| <i>GRID Style</i> Setup | 1-25 |
| The <i>GuidePlate</i> | 1-26 |
| Creating <i>Circles</i> | 1-30 |
| Saving the CAD Design | 1-32 |
| Close the Current Drawing | 1-33 |
| The <i>Spacer</i> Design | 1-34 |
| Start a New Drawing | 1-34 |
| Drawing Units Setup | 1-35 |
| Drawing Area Setup | 1-36 |
| Using the Line Command | 1-38 |
| Using the <i>ERASE</i> Command | 1-40 |
| Using the Arc Command | 1-40 |
| Using the Circle Command | 1-42 |
| Saving the CAD Design | 1-43 |
| Exit AutoCAD 2014 | 1-43 |
| Review Questions | 1-44 |
| Exercises | 1-45 |

Chapter 2

Basic Object Construction and Dynamic Input - AutoCAD®

| | |
|---|------|
| Introduction | 2-2 |
| Starting Up AutoCAD® 2014 | 2-2 |
| Dynamic Input | 2-3 |
| The <i>RockerArm</i> Design | 2-6 |
| Activate the Startup Option | 2-7 |
| Drawing Units Display Setup | 2-8 |
| <i>GRID</i> and <i>SNAP</i> Intervals Setup | 2-9 |
| Drawing Area Setup | 2-10 |
| Referencing the World Coordinate System | 2-11 |
| Creating <i>Circles</i> | 2-12 |
| <i>Object Snap</i> Toolbar | 2-13 |
| Using the <i>LINE</i> Command | 2-14 |

| | |
|--|------|
| Creating <i>TTR Circles</i> | 2-16 |
| Using the <i>TRIM</i> Command | 2-18 |
| Using the <i>Polygon</i> Command | 2-20 |
| Creating a Concentric <i>Circle</i> | 2-22 |
| Using the <i>QuickCal</i> Calculator to Measure Distance and Angle | 2-23 |
| Saving the CAD File | 2-27 |
| Exit AutoCAD | 2-27 |
| Review Questions | 2-28 |
| Exercises | 2-29 |

Chapter 3

Geometric Construction and Editing Tools - AutoCAD®

| | |
|---|------|
| Geometric Constructions | 3-2 |
| Starting Up AutoCAD® 2014 | 3-3 |
| Geometric Construction - CAD Method | 3-4 |
| • Bisection of a Line or Arc | 3-4 |
| • Bisection of an Angle | 3-7 |
| • Transfer of an Angle | 3-9 |
| • Dividing a Given Line into a Number of Equal Parts | 3-13 |
| • Circle Through Three Points | 3-15 |
| • Line Tangent to a circle from a Given Point | 3-16 |
| • Circle of a Given Radius Tangent to Two Given Lines | 3-17 |
| The <i>Gasket</i> Design | 3-20 |
| Drawing Units Display Setup | 3-21 |
| <i>GRID</i> and <i>SNAP</i> Intervals Setup | 3-22 |
| Using the <i>LINE</i> Command | 3-23 |
| <i>Object Snap</i> Toolbar | 3-25 |
| Using the <i>EXTEND</i> Command | 3-28 |
| Using the <i>TRIM</i> Command | 3-29 |
| Creating a <i>TTR Circle</i> | 3-30 |
| Using the <i>FILLET</i> Command | 3-31 |
| Converting Objects into a <i>Polyline</i> | 3-32 |
| Using the <i>OFFSET</i> Command | 3-33 |
| Using the Area Inquiry Tool to Measure Area and Perimeter | 3-34 |
| Using the <i>EXPLODE</i> Command | 3-36 |
| Create another <i>FILLET</i> | 3-36 |
| Saving the CAD File | 3-37 |
| Exit AutoCAD | 3-37 |
| Review Questions | 3-38 |
| Exercises | 3-39 |

Chapter 4

Orthographic Views in Multiview Drawings - AutoCAD®

| | |
|---|------|
| Introduction | 4-2 |
| The <i>Locator</i> Design | 4-2 |
| The <i>Locator</i> part | 4-3 |
| Starting Up AutoCAD® 2014 | 4-3 |
| <i>Layers</i> Setup | 4-4 |
| Drawing <i>Construction</i> Lines | 4-5 |
| Using the <i>OFFSET</i> Command | 4-5 |
| Set Layer <i>Object</i> as the Current Layer | 4-7 |
| Using the <i>Running Object Snaps</i> | 4-7 |
| Creating <i>Object Lines</i> | 4-9 |
| Turn <i>OFF</i> the Construction Lines Layer | 4-10 |
| Adding More Objects in the Front View | 4-10 |
| AutoCAD's AutoSnap™ and AutoTrack™ Features | 4-11 |
| Adding More Objects in the Top View | 4-13 |
| Drawing Using the <i>Miter Line Method</i> | 4-17 |
| More <i>Layers</i> Setup | 4-19 |
| Top View to Side View Projection | 4-20 |
| Completing the Front View | 4-22 |
| Object Information Using the List Command | 4-24 |
| Object Information Using the Properties Command | 4-25 |
| Review Questions | 4-26 |
| Exercises | 4-27 |

Chapter 5

Basic Dimensioning and Notes - AutoCAD®

| | |
|---|------|
| Introduction | 5-2 |
| The <i>Bracket</i> Design | 5-2 |
| Starting Up AutoCAD® 2014 | 5-3 |
| <i>Layers</i> Setup | 5-4 |
| The P-Bracket Design | 5-5 |
| Drawing Construction Lines | 5-6 |
| Using the <i>OFFSET</i> command | 5-6 |
| Set Layer <i>Object_Lines</i> as the <i>Current Layer</i> | 5-8 |
| Creating Object Lines | 5-8 |
| Creating Hidden Lines | 5-9 |
| Creating Center Lines | 5-10 |
| Turn OFF the Construction Lines | 5-10 |
| Using the <i>FILLET</i> Command | 5-11 |
| Saving the Completed CAD Design | 5-12 |
| Accessing the Dimensioning Commands | 5-13 |
| The <i>Dimension Toolbar</i> | 5-14 |
| Using the <i>Dimension Style Manager</i> | 5-14 |

| | |
|---|------|
| Dimensions Nomenclature and Basics | 5-15 |
| Using the <i>Center Mark</i> Command | 5-18 |
| Adding <i>Linear</i> Dimensions | 5-19 |
| Adding an <i>Angular</i> Dimension | 5-20 |
| Adding <i>Radius</i> and <i>Diameter</i> Dimensions | 5-21 |
| Using the <i>Multiline Text</i> Command | 5-22 |
| Adding Special Characters | 5-23 |
| Saving the Design | 5-24 |
| A Special Note on Layers Containing Dimensions | 5-24 |
| Review Questions | 5-25 |
| Exercises | 5-26 |

Chapter 6

Pictorials and Sketching

| | |
|--|------|
| Engineering Drawings, Pictorials and Sketching | 6-2 |
| Isometric Sketching | 6-7 |
| Isometric Sketching Exercises | 6-9 |
| Oblique Sketching | 6-10 |
| Oblique Sketching Exercises | 6-11 |
| Perspective Sketching | 6-12 |
| One-point Perspective | 6-13 |
| Two-point Perspective | 6-14 |
| Perspective Sketching Exercises | 6-15 |
| Review Questions | 6-16 |
| Exercises | 6-17 |

Section II – Autodesk® Inventor®

Chapter 7

Parametric Modeling Fundamentals – Autodesk® Inventor®

| | |
|---|-----|
| Getting Started with Autodesk® Inventor® | 7-2 |
| The Screen layout and Getting Started Toolbar | 7-3 |
| The New File Dialog Box and Units Setup | 7-4 |
| The Default Autodesk Inventor Screen Layout | 7-5 |
| Application Menu | 7-6 |
| Quick Access Toolbar | 7-6 |
| Ribbon Tabs and Tool Panels | 7-6 |
| Online Help Panel | 7-6 |
| Create Toolbar | 7-7 |
| Graphics Window | 7-7 |
| Message and Status Bar | 7-7 |
| Mouse Buttons | 7-8 |

| | |
|--|------|
| [Esc] – Canceling Commands | 7-8 |
| Autodesk Inventor Help System | 7-9 |
| Data Management Using Inventor Project Files | 7-10 |
| Setup of a New Inventor Project | 7-11 |
| The Content of the Inventor Project File | 7-14 |
| Leaving Autodesk Inventor | 7-14 |
| Feature-Based Parametric Modeling | 7-15 |
| The Adjuster Design | 7-16 |
| Starting Autodesk Inventor | 7-16 |
| The Default Autodesk Inventor Screen Layout | 7-18 |
| Sketch Plane – It is an XY monitor, but an XYZ World | 7-19 |
| Creating Rough Sketches | 7-21 |
| Step 1: Creating a Rough Sketch | 7-22 |
| Graphics Cursors | 7-22 |
| Geometric Constraint Symbols | 7-23 |
| Step 2: Apply/Modify Constraints and Dimensions | 7-24 |
| Dynamic Viewing Functions – <i>Zoom</i> and <i>Pan</i> | 7-27 |
| Modifying the Dimensions of the Sketch | 7-27 |
| Step 3: Completing the Base Solid Feature | 7-28 |
| Isometric View | 7-29 |
| Dynamic Rotation of the 3-D block – Free Orbit | 7-30 |
| Dynamic Viewing – Quick Keys | 7-31 |
| Viewing Tools – Standard Toolbar | 7-33 |
| Display Modes | 7-37 |
| Orthographic vs. Perspective | 7-37 |
| Disable the Heads-Up Display Option | 7-38 |
| Step 4-1: Adding an Extruded Feature | 7-39 |
| Step 4-2: Adding a Cut Feature | 7-44 |
| Save the Model | 7-47 |
| Review Questions | 7-49 |
| Exercises | 7-50 |

Chapter 8

Constructive Solid Geometry Concepts – Autodesk® Inventor®

| | |
|--|------|
| Introduction | 8-2 |
| Binary Tree | 8-3 |
| The Locator Design | 8-4 |
| Modeling Strategy – CSG Binary Tree | 8-5 |
| Starting Autodesk Inventor | 8-6 |
| Base Feature | 8-7 |
| <i>GRID</i> Intervals Setup | 8-8 |
| Model Dimensions Format | 8-11 |
| Modifying the Dimensions of the Sketch | 8-11 |
| Repositioning Dimensions | 8-12 |

| | |
|------------------------------------|------|
| Using the Measure Tools | 8-13 |
| Completing the Base Solid Feature | 8-16 |
| Creating the Next Solid Feature | 8-17 |
| Creating a CUT Feature | 8-21 |
| Creating a PLACED FEATURE | 8-24 |
| Creating a Rectangular Cut Feature | 8-26 |
| Save the Model | 8-28 |
| Questions | 8-29 |
| Exercises | 8-30 |

Chapter 9

Model History Tree – Autodesk® Inventor®

| | |
|--|------|
| Introduction | 9-2 |
| The <i>Saddle Bracket</i> Design | 9-3 |
| Starting Autodesk Inventor | 9-3 |
| Modeling Strategy | 9-4 |
| The <i>Autodesk Inventor Browser</i> | 9-5 |
| Creating the Base Feature | 9-5 |
| Adding the Second Solid Feature | 9-8 |
| Creating a 2D Sketch | 9-9 |
| Renaming the Part Features | 9-11 |
| Adjusting the Width of the Base Feature | 9-12 |
| Adding a Placed Feature | 9-13 |
| Creating a Rectangular Cut Feature | 9-15 |
| History-Based Part Modifications | 9-16 |
| A Design Change | 9-17 |
| Assigning and Calculating the Associated Physical Properties | 9-20 |
| Questions | 9-22 |
| Exercises | 9-23 |

Chapter 10

Parametric Constraints Fundamentals - Autodesk® Inventor®

| | |
|--|-------|
| CONSTRAINTS and RELATIONS | 10-2 |
| Create a Simple Triangular Plate Design | 10-2 |
| Fully Constrained Geometry | 10-3 |
| Starting Autodesk Inventor | 10-3 |
| Displaying Existing Constraints | 10-4 |
| Applying Geometric/Dimensional Constraints | 10-6 |
| Over-Constraining and Driven Dimensions | 10-10 |
| Deleting Existing Constraints | 10-11 |
| Using the Auto Dimension Command | 10-12 |
| Constraint and Sketch Settings | 10-16 |
| Parametric Relations | 10-17 |

| | |
|--|-------|
| Dimensional Values and Dimensional Variables | 10-19 |
| Parametric Equations | 10-20 |
| Viewing the Established Parameters and Relations | 10-22 |
| Saving the Model File | 10-23 |
| Using the Measure Tools | 10-24 |
| Review Questions | 10-28 |
| Exercises | 10-29 |

Chapter 11

Geometric Construction Tools - Autodesk® Inventor®

| | |
|---|-------|
| Introduction | 11-2 |
| The Gasket Design | 11-2 |
| Modeling Strategy | 11-3 |
| Starting Autodesk Inventor | 11-4 |
| Create a 2D Sketch | 11-5 |
| Edit the Sketch by Dragging the Sketched Entities | 11-7 |
| Add Additional Constraints | 11-9 |
| Use the <i>Trim</i> and <i>Extend</i> Commands | 11-10 |
| The <i>Auto Dimension</i> Command | 11-12 |
| Create Fillets and Completing the Sketch | 11-14 |
| Fully Constrained Geometry | 11-15 |
| Profile Sketch | 11-17 |
| Redefine the Sketch and the Profile | 11-18 |
| Create an OFFSET Cut Feature | 11-22 |
| Questions | 11-25 |
| Exercises | 11-26 |

Chapter 12

Parent/Child Relationships and the BORN Technique - Autodesk® Inventor®

| | |
|---|-------|
| Introduction | 12-2 |
| The BORN Technique | 12-2 |
| The U-Bracket Design | 12-3 |
| Sketch Plane Settings | 12-4 |
| Applying the BORN Technique | 12-5 |
| Create the 2D Sketch for the Base Feature | 12-7 |
| Create the First Extrude Feature | 12-11 |
| The Implied Parent/Child Relationships | 12-12 |
| Create the Second Solid Feature | 12-12 |
| Create the First Cut feature | 12-16 |
| The Second Cut feature | 12-17 |
| Examine the Parent/Child Relationships | 12-19 |

| | |
|--|-------|
| Modify a Parent Dimension | 12-20 |
| A Design Change | 12-21 |
| Feature Suppression | 12-22 |
| A Different Approach to the CENTER_DRILL Feature | 12-23 |
| Suppress the Rect_Cut Feature | 12-25 |
| Create a Circular Cut Feature | 12-26 |
| A Flexible Design Approach | 12-28 |
| View and Edit Material Properties | 12-29 |
| Review Questions | 12-31 |
| Exercises | 12-32 |

Chapter 13

Part Drawings and 3D Annotations - Autodesk® Inventor®

| | |
|--|-------|
| Drawings from Parts and Associative Functionality | 13-2 |
| Starting Autodesk Inventor | 13-3 |
| Drawing Mode – 2D Paper Space | 13-3 |
| Drawing Sheet Format | 13-5 |
| Using the Pre-defined Drawing Sheet Formats | 13-7 |
| Delete, Activate, and Edit Drawing Sheets | 13-9 |
| Add a Base View | 13-10 |
| Create Projected Views | 13-11 |
| Adjust the View Scale | 13-12 |
| Repositioning Views | 13-13 |
| Display Feature Dimensions | 13-14 |
| Repositioning and Hiding Feature Dimensions | 13-16 |
| Add Additional Dimensions – Reference Dimensions | 13-18 |
| Add Center Marks and Center Lines | 13-19 |
| Complete the Drawing Sheet | 13-22 |
| Associative Functionality – Modifying Feature Dimensions | 13-23 |
| 3D Annotations in Isometric Views | 13-26 |
| Review Questions | 13-34 |
| Exercises | 13-35 |

Chapter 14

Symmetrical Features in Designs - Autodesk® Inventor®

| | |
|---|------|
| Introduction | 14-2 |
| A Revolved Design: PULLEY | 14-2 |
| Modeling Strategy – A Revolved Design | 14-3 |
| Starting Autodesk Inventor | 14-4 |
| Set Up the Display of the Sketch Plane | 14-4 |
| Creating the 2D Sketch for the Base Feature | 14-5 |
| Create the Revolved Feature | 14-9 |

| | |
|--|-------|
| Mirroring Features | 14-10 |
| Create a Pattern Leader Using Construction Geometry | 14-12 |
| Circular Pattern | 14-17 |
| Examine the Design Parameters | 14-19 |
| Drawing Mode – Defining a New Border and Title Block | 14-19 |
| Create a Drawing Template | 14-22 |
| Create the Necessary Views | 14-23 |
| Retrieve Dimensions – Features Option | 14-26 |
| Associative Functionality – A Design Change | 14-28 |
| Add Centerlines to the Pattern Feature | 14-30 |
| Complete the Drawing | 14-31 |
| Review Questions | 14-34 |
| Exercises | 14-35 |

AutoCAD® and Autodesk® Inventor®

Chapter 15

Design Reuse Using AutoCAD® and Autodesk® Inventor®

| | |
|--|-------|
| Introduction | 15-2 |
| The Geneva Wheel Design | 15-3 |
| Internet Download of the Geneva-Wheel DWG File | 15-3 |
| Opening AutoCAD DWG File in Inventor | 15-4 |
| Use the Measuring Tools | 15-5 |
| Switch to the AutoCAD DWG Layout | 15-7 |
| 2D Design Reuse | 15-9 |
| Complete the Imported Sketch | 15-13 |
| Create the First Solid Feature | 15-15 |
| Create a Mirrored Feature | 15-16 |
| Circular Pattern | 15-17 |
| Complete the Geneva Wheel Design | 15-18 |
| Export an Inventor 2D Sketch as an AutoCAD Drawing | 15-22 |
| Design Reuse – Sketch Insert Option | 15-23 |
| Review Questions | 15-29 |
| Exercises | 15-30 |

Chapter 16

Assembly Modeling - Putting It All Together - Autodesk® Inventor®

| | |
|---|-------|
| Introduction | 16-2 |
| Assembly Modeling Methodology | 16-3 |
| The Shaft Support Assembly | 16-4 |
| Additional <i>Parts</i> | 16-4 |
| (1) Collar | 16-4 |
| (2) Bearing | 16-5 |
| (3) Base-Plate | 16-5 |
| (4) Cap-Screw | 16-6 |
| Starting Autodesk Inventor | 16-7 |
| Placing the First Component | 16-8 |
| Placing the Second Component | 16-9 |
| Degrees of Freedom and Constraints | 16-10 |
| Assembly Constraints | 16-11 |
| Apply the First Assembly Constraint | 16-14 |
| Apply a Second Mate Constraint | 16-15 |
| Constrained Move | 16-16 |
| Apply a Flush Constraint | 16-17 |
| Placing the Third Component | 16-19 |
| Applying an Insert Constraint | 16-20 |
| Assemble the Cap-Screws | 16-21 |
| Exploded View of the Assembly | 16-22 |
| Editing the Components | 16-24 |
| Adaptive Design Approach | 16-25 |
| Delete and Re-apply Assembly Constraints | 16-29 |
| Setup a Drawing of the Assembly Model | 16-31 |
| Creating a Parts List | 16-33 |
| Edit the Parts List | 16-34 |
| Change the Material Type | 16-36 |
| Add the Balloon Callouts | 16-38 |
| Completing the Title Block Using the iProperties Option | 16-38 |
| Bill of Materials | 16-40 |
| (a) BOM from Parts List | 16-40 |
| (b) BOM from Assembly Model | 16-41 |
| Review Questions | 16-42 |
| Exercises | 16-43 |

Chapter 17

Design Analysis - Autodesk® Inventor® Stress Analysis Module

| | |
|--|-------|
| Introduction | 17-2 |
| Problem Statement | 17-4 |
| Preliminary Analysis | 17-4 |
| • Maximum Displacement | 17-5 |
| Finite Element Analysis Procedure | 17-6 |
| Create the <i>Autodesk Inventor</i> Part | 17-7 |
| Creating the 2D Sketch for the Plate | 17-7 |
| Assigning the Material Properties | 17-10 |
| Switch to the <i>Stress Analysis</i> Module | 17-11 |
| Create an FEA Simulation | 17-12 |
| Applying Constraints and Loads | 17-14 |
| Create a Mesh and Run the Solver | 17-16 |
| Refinement of the FEA Mesh – Global Element Size | 17-18 |
| Refinement of the FEA Mesh – Local Element Size | 17-20 |
| Comparison of Results | 17-23 |
| Create an HTML Report | 17-24 |
| Geometric Considerations of Finite Elements | 17-25 |
| Conclusion | 17-26 |
| Summary of Modeling Considerations | 17-26 |
| Review Questions | 17-27 |
| Exercises | 17-28 |

Index

On the CD

Chapter 18 – LEGO[®] MINDSTORMS[®] NXT Assembly Modeling with the LEGO[®] MINDSTORMS[®] NXT Set – Autodesk[®] Inventor[®]

| | |
|---|-------|
| Introduction | 18-2 |
| The Basic Car Assembly | 18-2 |
| Modeling Strategy | 18-3 |
| Starting Autodesk Inventor | 18-4 |
| Creating a Subassembly | 18-5 |
| Placing the Next Component | 18-6 |
| Degrees of Freedom Display | 18-7 |
| Apply the Assembly Constraints | 18-8 |
| Assemble the Next Components | 18-13 |
| Assembling Bushing and Axle | 18-15 |
| Completing the Motor-Right Subassembly | 18-18 |
| Starting the Main Assembly | 18-20 |
| Assemble the Frame and Motors | 18-23 |
| Assemble the Motor Assemblies | 18-25 |
| Adding the Motor-Right Subassembly to the Main Assembly | 18-30 |
| Assemble the Rear Swivel Assembly and Wheels | 18-31 |
| Assemble the NXT Micro-controller | 18-37 |
| Assemble the Sensors | 18-40 |

Chapter 19 Assembly Modeling with the TETRIX[®] by Pitsco Building System – Autodesk[®] Inventor[®]

| | |
|--|-------|
| Introduction | 19-2 |
| The ST1 Assembly | 19-2 |
| Modeling Strategy | 19-3 |
| Starting Autodesk Inventor | 19-4 |
| Creating a Subassembly | 19-5 |
| Placing the Next Component | 19-6 |
| Degrees of Freedom Display | 19-7 |
| Apply Assembly Constraints | 19-8 |
| Starting the Main Assembly | 19-18 |
| Adjusting the Orientation of a Grounded Part | 19-20 |
| Adjusting the Orientation of Parts | 19-22 |
| Assemble the DC Motor Controller | 19-25 |
| Assemble the Servo Controller | 19-27 |

| | |
|-----------------------------------|-------|
| Completing the Chassis | 19-29 |
| Assemble the Front-Wheel Assembly | 19-30 |
| Assemble the Motor-Wheel Assembly | 19-33 |
| Assemble the NXT Micro-controller | 19-38 |
| Assemble the NXT Touch-Sensor | 19-39 |
| Conclusion | 19-41 |

Chapter 20 – VEX Assembly Model with Vex Robot Kit - Autodesk® Inventor®

| | |
|---|-------|
| Introduction | 20-2 |
| The Tumbler Assembly | 20-2 |
| Starting Autodesk Inventor | 20-3 |
| Creating a Subassembly | 20-4 |
| Placing the Second Component | 20-5 |
| Degrees of Freedom Display | 20-6 |
| Adjusting the Component's Orientation | 20-7 |
| Apply Assembly Constraints | 20-8 |
| Assemble the Next Component | 20-11 |
| Assembling Bearing Rivets and Screws | 20-13 |
| Assembling Shaft Collars, Shafts and Motors | 20-16 |
| Assemble the Wheels | 20-23 |
| Modifying the Wheel Directions | 20-27 |
| Starting the Tumbler Assembly | 20-30 |
| Assemble the Chassis | 20-33 |
| Assemble the Chassis Plate | 20-37 |
| Adding the Battery Pack Under the Chassis Plate | 20-39 |
| Adding the RF Receiver on the Rear Chassis Bumper | 20-40 |
| Assemble the VEX Microcontroller | 20-43 |
| Assemble the Antenna | 20-46 |
| Conclusion | 20-47 |
| Review Questions | 20-48 |
| Exercises | 20-49 |