


Analysis of Machine Elements Using

SOLIDWORKS® Simulation 2026



Shahin S. Nudehi, Ph.D., P.E.
John R. Steffen, Ph.D., P.E.



Visit the following websites to learn more about this book:



[amazon.com](https://www.amazon.com)

[Google books](https://books.google.com)

[BARNES & NOBLE](https://www.barnesandnoble.com)

Table of Contents

| | |
|--|------|
| Table of Contents | i |
| Preface | xi |
| Intended Audience for this Text | xi |
| Using this SOLIDWORKS Simulation User Guide | xi |
| Instructor’s Preface | xiii |
| Introduction | |
| Finite Element Analysis | I-1 |
| Nodes, Elements, Degrees of Freedom, and Equations | I-2 |
| SOLIDWORKS Simulation Elements | I-3 |
| Solid Elements | I-3 |
| Solid Element Degrees of Freedom | I-4 |
| Shell Elements | I-5 |
| Shell Elements Degrees of Freedom | I-6 |
| Beam and Truss Elements | I-6 |
| Meshing a Model | I-7 |
| Stress Calculations for Nodes and Elements | I-8 |
| Nodal Stress Values | I-9 |
| Element Stress Values | I-10 |
| Assumptions Applied to Linear Static Finite Element Analysis | I-11 |
| Static Loading | I-11 |
| Linear Material Behavior | I-11 |
| Small Deformations | I-12 |
| Closing Comments | I-12 |
| Introduction to the SOLIDWORKS Simulation User Interface | I-13 |
| Orientation and Set-up of SOLIDWORKS Work Environment | I-13 |
| Customizing the SOLIDWORKS Screen | I-16 |
| Orientation to the SOLIDWORKS Simulation Work Environment | I-20 |
| Property Managers and Dialogue Boxes | I-23 |
| Cautions and Other Facts You Should Know | I-25 |
| Chapter 1 | |
| Stress Analysis Using SOLIDWORKS Simulation | |
| Learning Objectives | 1-1 |
| Problem Statement | 1-1 |
| Creating a Static Stress Analysis (Study) | 1-3 |
| Assigning Material to the Model | 1-6 |
| Applying Fixtures | 1-7 |
| Applying External Loads | 1-9 |

Analysis of Machine Elements Using SOLIDWORKS Simulation

| | |
|---|------|
| Meshing the Model | 1-12 |
| Running the Solution | 1-14 |
| Examination of Results | 1-15 |
| Understanding Default Graphical Results | 1-15 |
| Results Predicted by Classical Stress Equations | 1-17 |
| Simulation Results for Stress in Y-Direction | 1-19 |
| Using the Probe Tool | 1-21 |
| Customizing Graphs | 1-28 |
| Summary | 1-31 |
| To SAVE or Not to SAVE Files, That is the Question? | 1-31 |
| Option 1 - Close a File and SAVE its Contents Using the Original File Name | 1-32 |
| Option 2 - Close a File and SAVE its Contents Using a Different File Name | 1-32 |
| Option 3 - Close a File without Saving Results | 1-33 |
| Option 4 - Re-open a SOLIDWORKS Simulation File Saved Using Option 1 or Option 2 | 1-33 |
| Exercises | 1-35 |

Chapter 2 Curved Beam Analysis

| | |
|--|------|
| Learning Objectives | 2-1 |
| Problem Statement | 2-1 |
| Creating a Static Analysis (Study) | 2-2 |
| Setting up the Simulation Toolbar | 2-3 |
| Assign Material Properties to the Model | 2-5 |
| Applying Fixtures | 2-6 |
| Applying External Load(s) | 2-8 |
| Inserting Split Lines | 2-9 |
| Applying Force to an Area Bounded by Split Lines | 2-12 |
| Meshing the Model | 2-13 |
| Solution | 2-15 |
| Examination of Results | 2-16 |
| Analysis of von Mises Stresses Within the Model | 2-16 |
| Verification of Results | 2-19 |
| Results Predicted by Classical Stress Equations | 2-19 |
| Comparison with Finite Element Results | 2-21 |
| Assessing Safety Factor | 2-25 |
| Alternate Stress Display Option | 2-31 |
| Determining Reaction Forces | 2-32 |
| Is it Significant That the Model is NOT in Equilibrium? | 2-33 |
| Soft Springs Can Be Applied Where Other Restraints are not Appropriate | 2-34 |
| Important Caution Regarding Strength and Safety Factor | 2-35 |
| Logging Out of the Current Analysis | 2-35 |
| Exercises | 2-36 |

Chapter 3

Stress Concentration Analysis

| | |
|---|------|
| Learning Objectives | 3-1 |
| Problem Statement | 3-1 |
| Create a Static Analysis (Study) | 3-2 |
| Defeaturing the Model | 3-3 |
| Assign Material Properties to the Model | 3-4 |
| Apply Fixtures and External Loads | 3-4 |
| Mesh the Model | 3-6 |
| Solution | 3-8 |
| Examination of Results | 3-8 |
| Stress Plots | 3-8 |
| Creating a “Copy” of a Plot | 3-12 |
| Displacement Plot | 3-14 |
| Creating New Studies | 3-17 |
| Basic Parts of the Graphical User Interface | 3-17 |
| Study Using High Quality Elements and COARSE Mesh Size | 3-18 |
| Study Using High Quality Elements and DEFAULT Mesh Size | 3-23 |
| Study Using High Quality Elements and FINE Mesh Size | 3-24 |
| Study Using High Quality Elements and MESH CONTROL | 3-25 |
| Summary | 3-29 |
| Results Analysis | 3-30 |
| Create Multiple Viewports | 3-30 |
| What Can Be Learned from this Example? | 3-33 |
| Other Uses of the Copy Feature | 3-33 |
| Analysis Insight - Solution Convergence | 3-33 |
| Comparison of Classical and FEA Results | 3-36 |
| Logging Out of the Current Analysis | 3-37 |
| Exercises | 3-38 |

Chapter 4

Thin and Thick Wall Pressure Vessels

| | |
|---|------|
| Learning Objectives | 4-1 |
| Thin-Wall Pressure Vessel (Using Shell Elements) | 4-1 |
| Problem Statement | 4-1 |
| Understanding System Default Settings | 4-4 |
| Creating a Static Analysis Using Shell Elements | 4-10 |
| Converting a Solid Model to a Shell Model | 4-11 |
| Open a New Simulation Study | 4-15 |
| Assign Material Properties | 4-15 |
| Define Shell Thickness | 4-15 |
| Assign Fixtures and External Loads | 4-16 |
| Restraints Applied Using Reference Geometry | 4-16 |

Analysis of Machine Elements Using SOLIDWORKS Simulation

| | |
|--|------|
| Pressure Load Applied | 4-20 |
| Mesh the Model | 4-21 |
| Solution | 4-23 |
| Results Analysis | 4-23 |
| Results Comparison (Tangential Stress = σ_1 on Cylindrical Surface) | 4-25 |
| Other Meaningful Results Comparisons | 4-27 |
| Guidance for Determining Symmetry Fixtures | 4-27 |
| Application of Symmetry Fixtures | 4-29 |
| Closing Observations | 4-30 |
| Log Out of the Current Analysis | 4-31 |

Thick Wall Pressure Vessel 4-32

| | |
|--|------|
| Problem Statement | 4-32 |
| Defining the Study | 4-33 |
| Assign Material Properties | 4-34 |
| Define Fixtures and External Loads | 4-34 |
| Create a Duplicate Study | 4-37 |
| Mesh the Model – Default Size Standard Mesh | 4-37 |
| Mesh the Model – Fine Size Standard Mesh | 4-38 |
| Solution | 4-40 |
| Results Analysis | 4-40 |
| Displacement Analysis | 4-40 |
| von Mises Stress Analysis | 4-42 |
| Tangential Stress Analysis | 4-42 |
| Adjusting Stress Magnitude Display Parameters | 4-45 |
| Using Section Clipping to Observe Stress Results | 4-48 |

Thick Wall Pressure Vessel (Axisymmetrical Approach) 4-52

| | |
|--|------|
| Problem Statement | 4-52 |
| Thick-Wall Pressure Vessel | 4-52 |
| Create a Static Analysis (Study) | 4-53 |
| Assign Material Properties | 4-54 |
| Define Fixtures and External Loads | 4-54 |
| Mesh the Model – Standard Size Standard Mesh | 4-55 |
| Solution | 4-56 |
| Results Analysis | 4-56 |
| Exercises | 4-59 |

Chapter 5

Interference Fit Analysis

| | |
|---|-----|
| Learning Objectives | 5-1 |
| Problem Statement | 5-1 |
| Interference Check | 5-2 |
| Create a Static Analysis (Study) | 5-3 |
| Assign Material Properties to the Model | 5-4 |

| | |
|--|------|
| SOLIDWORKS Default Connection Definition | 5-4 |
| Defeature and Simplify the Model | 5-5 |
| Apply Fixtures | 5-6 |
| Reduce Model Size Using Symmetry | 5-6 |
| Define Symmetry Restraints (Fixtures) | 5-7 |
| Apply Fixtures to Eliminate Rigid Body Motion | 5-9 |
| Use Contact Sets to Define a Shrink Fit | 5-11 |
| Mesh the Model and Run the Solution | 5-14 |
| Examination of Results | 5-15 |
| Default Stress Plot | 5-15 |
| Stress Plots in a Cylindrical Coordinate System | 5-18 |
| Tangential (Circumferential or Hoop) Stress | 5-18 |
| Radial Stress | 5-21 |
| Verification of Results | 5-23 |
| Stress Predicted by Classical Interference Fit Equations | 5-23 |
| Stress Predicted by Finite Element Analysis | 5-24 |
| Radial Stress Comparison | 5-24 |
| Tangential Stress Comparison | 5-26 |
| Quantifying Radial Displacements | 5-27 |
| Generating a Report | 5-30 |
| Exercises | 5-32 |

Chapter 6

Contact Analysis

| | |
|--|------|
| Learning Objectives | 6-1 |
| Problem Statement | 6-1 |
| Preparing the Model for Analysis | 6-2 |
| Add Reference Planes | 6-3 |
| Insert Split Lines | 6-4 |
| Create the Assembly Model | 6-5 |
| Cut Model on Symmetry Plane | 6-10 |
| Create a Finite Element Analysis (Study) | 6-13 |
| Assign Material Properties | 6-13 |
| Assign Fixtures and External Loads | 6-13 |
| Symmetry and Immovable Restraints | 6-13 |
| Connections Define Contact Conditions | 6-14 |
| Apply a Directional Load | 6-16 |
| Mesh the Model and Run the Solution | 6-19 |
| Results Analysis | 6-19 |
| Von Mises Stress | 6-19 |
| Iso Clipping | 6-20 |
| Animating Stress Results | 6-22 |
| Displacement Results | 6-23 |
| Contact Pressure/Stress | 6-24 |
| Exercises | 6-26 |

Chapter 7 Bolted Joint Analysis

| | |
|---|------|
| Learning Objectives | 7-1 |
| Problem Statement | 7-1 |
| Create a Static Analysis (Study) | 7-2 |
| Assign Material Properties to the Model | 7-2 |
| Apply External Loads and Fixtures | 7-3 |
| Traditional Loads and Fixtures | 7-3 |
| Define Bolted Joint Restraints | 7-4 |
| Define Local Contact Conditions | 7-11 |
| Mesh the Model and Run Solution | 7-13 |
| Results Analysis for the Downward External Load | 7-16 |
| von Mises Stress | 7-16 |
| Bolt Forces (for Downward Load) | 7-18 |
| Define a New Study with the Applied Force Acting Upward | 7-19 |
| Results Analysis for the Upward External Load | 7-20 |
| von Mises Stress | 7-20 |
| Bolt Forces (for Upward Load) | 7-23 |
| Bolt Clamping Pressure | 7-26 |
| Summary | 7-30 |
| Exercises | 7-31 |

Chapter 8 Design Optimization

| | |
|---|------|
| Learning Objectives | 8-1 |
| Problem Statement | 8-1 |
| Complete and Run the Initial Study | 8-2 |
| Creating an Optimization Design Study | 8-6 |
| Understanding Optimization Design Terminology | 8-7 |
| Selecting and Specifying Design Parameters (Variables) | 8-9 |
| Define Constraints and their Sensors | 8-14 |
| Define the Stress Constraint and Sensor | 8-14 |
| Define the Displacement Constraint and Sensor | 8-15 |
| Define a Goal and its Sensor | 8-17 |
| Overview of Results | 8-18 |
| General Observations | 8-19 |
| Local Trend Graphs | 8-20 |
| Local Trend Graph of the Design Goal versus a Design Variable | 8-20 |
| Local Trend Graph of a Constraint versus a Design Variable | 8-21 |
| Closing Observations | 8-23 |
| Exercises | 8-25 |

Chapter 9

Elastic Buckling

| | |
|--|------|
| Learning Objectives | 9-1 |
| Problem Statement | 9-1 |
| Opening SOLIDWORKS | 9-2 |
| Create a Buckling Analysis (Fixed-Free End Conditions) | 9-2 |
| Assign Material Properties to the Model | 9-2 |
| Assign Fixed-Free Fixture End Conditions to the Model | 9-3 |
| External Loads | 9-3 |
| Buckling Analysis Options | 9-4 |
| Meshing the Model | 9-4 |
| Solution | 9-5 |
| Examination of Results | 9-6 |
| Buckling Mode Shapes (Optional) | 9-7 |
| Validity of Elastic Buckling Simulation | 9-10 |
| Create a Buckling Analysis Using Fixed-Fixed End Conditions | 9-11 |
| Assign Material Properties to the Model | 9-11 |
| Prepare the Model for Assignment of Fixed-Fixed End Conditions | 9-12 |
| Assign Fixed-Fixed Fixture to Top End of Model | 9-13 |
| External Loads | 9-14 |
| Buckling Analysis Options | 9-15 |
| Meshing and Running the Model | 9-16 |
| Examination of Results | 9-17 |
| Validity of Elastic Buckling Simulation | 9-17 |
| Create a Buckling Analysis Using Pinned-Pinned End Conditions | 9-19 |
| Assign Material Properties to the Model | 9-19 |
| Prepare the Model for Assignment of Pinned-Pinned End Conditions | 9-19 |
| Pinned-Pinned Fixture | 9-20 |
| External Loads | 9-22 |
| Meshing and Running the Model | 9-22 |
| Examination of Results | 9-23 |
| Buckling Mode Shapes | 9-24 |
| Validity of Elastic Buckling Simulation | 9-25 |
| Create a Buckling Analysis assuming an Eccentrically Loaded Pin with Pinned-Pinned End Conditions | 9-26 |
| Pinned-Pinned Fixture | 9-27 |
| External Loads | 9-28 |
| Meshing and Running the Model | 9-29 |
| Examination of Results | 9-29 |
| Summary | 9-31 |
| Exercises | 9-32 |

Chapter 10 Fatigue Testing Analysis

| | |
|--|-------|
| Learning Objectives | 10-1 |
| Problem-1: Fatigue Analysis of a Cylindrical Rod Subject to Reversed Bending | 10-1 |
| Creating a Static Analysis (Study) | 10-2 |
| Assign Material Properties to the Model | 10-2 |
| Applying Fixtures And External Loads | 10-3 |
| Meshing the Model | 10-4 |
| Static Solution | 10-5 |
| Fatigue Study | 10-5 |
| Add Event | 10-5 |
| Generating the SN-Curve | 10-6 |
| Navigating the SN-Curve Calculator | 10-7 |
| Setting Fatigue Study Parameters | 10-10 |
| Fatigue Study Solution | 10-11 |
| Verification of Results | 10-12 |
| Problem-2: Fatigue Analysis of a Cylinder Subject to a Combined Loading | 10-15 |
| Duplicating the Static Analysis (Study) and Fatigue Studies | 10-15 |
| Modifying External Load(s) | 10-16 |
| Modifying Fatigue Study Parameters | 10-17 |
| Edit Fatigue Event | 10-17 |
| Setting Fatigue Study Parameters | 10-17 |
| Modifying the SN-Curve | 10-18 |
| Fatigue Study Solution | 10-20 |
| Verification of Results | 10-21 |
| Exercises | 10-23 |

Chapter 11 Thermal Stress Analysis

| | |
|---|-------|
| Learning Objectives | 11-1 |
| Problem Statement | 11-1 |
| Static Analysis | 11-2 |
| Material Properties Applied to the Model | 11-2 |
| Assign Connection in the Model | 11-3 |
| Assign Fixtures to the Model | 11-4 |
| External Loads (Method-1) | 11-4 |
| External Loads (Method-2) | 11-6 |
| Material Properties Applied to the Model | 11-6 |
| Applying Thermal Loads for Uniform Temperature | 11-6 |
| Solve the Thermal Study and Apply the Solution | 11-8 |
| Apply Mesh for Thermal Study | 11-10 |
| Reference Temperature at Zero Strain | 11-10 |
| Examination of Results | 11-11 |
| Default Stress Plot | 11-11 |
| Stress Plots in a Cylindrical Coordinate System | 11-12 |

| | |
|--|-------|
| Validation of Radial Stress Results | 11-16 |
| Validation of Axial Displacement Results | 11-17 |
| Exercises | 11-18 |

APPENDIX A

| | |
|---------------------------------------|-----|
| Organizing Assignments Using MS Word® | A-1 |
|---------------------------------------|-----|

APPENDIX B

| | |
|--|-----|
| Alternative Method to Change Screen Background color | B-1 |
|--|-----|

INDEX

| |
|---------|
| Index-1 |
|---------|